# Catalogue

VERMONT PLANTS.

Burkingter H 1842

### CATALOGUE

OF

## VERMONT PLANTS.

BY WM. OAKES, OF IPSWICH, MASSACHUSETTS.

AS PUBLISHED IN THOMPSON'S HISTORY OF VERMONT.

Preliminary Observations.

Text State of Vermont, in the richness and beauty of its vegetation, is scarcely equalled by any of the New England States. It owns this, no doubt, is scarcely except the scarce of the scarce of the control of the scarce of the mountains. Its ranges of mountains, attending the whole the scarce of the mountains. Its ranges of mountains, attending the whole scarce of the scarce o

THE NATIVE FOREST TREES OF VERMONT-Lime Tree, or Bass Wood. Tilia Ameri-

Wild Block Cherry. Crease sorelita.
Sugar Maple. Aer saccherium.
White Maple. Aer saccherium.
White Maple. Aer saccherium.
White Aer Adaptor-pass.
White Aeh. Praxima consisteds.
Black Aeh. Praxima sousisteds.
Black Aeh. Praxima sousisteds.
Sassafras. Lauren Sausfest.
Land Mallerry. Mens wite.
Lee Mallerry. Mens wite.
Lee Mallerry. Mens wite.
Lee Mallerry. Mens wite.
Lee Mallerry. Rens wite.
Lee Mallerry. Lee wite.
Lee

White Oak. Quereus alba. Swamp White Oak. Quereus bicolor. Overcup White Oak. Quereus macrocarpa. Black Oak. Quereus sindoria. Red Oak. Quereus sindoria. Rock Chestnut Oak. Quereus montana. Scarlet Oak. Quereus coccinea.

Scarret Okt.

Betale pappracea.

Small White Birch. Betale pappracea.

Small White Birch. Betale pappulifolia.

Black Birch. Betale lenda.

Yellow Birch. Betale excelsa.

Balsam Poplar. Populus balsamifera.

Heart-leaved Balsam Poplar. Populu candicans.

Cotton Fepintz, Prymbus Canademit.
Vermont Fepintz, Populus ammiljera.
Large Aspen. Populus graudidandelt,
American Aspen. Populus graudidandelt,
American Aspen. Populus graudidandelt,
Silver Miller and Miller

Pitch Fine. Pinus rigida.
Double Spruce. Pinus nigra.
Single Spruce. Pinus alba.
Balsam Fir. Pinus bolssanea.
Hemlock Spruce. Pinus Canadensis.
American Larch, or Hackmatack. Pinus
pendula.

Arbor Vitæ, or "White Cedar." Thuja occidentalis. Red Cedar. Juniperus Virginiana 52 species.

52 species.

Besides the above, there are several trees of small size. Striped Maple. Acer Pennsylvanicum.

Mountain Maple. Acer mantanum. Choke Cherry. Prunus Virginiana. June Berry. Amelanchier Canadensis. Mountain Ash. Sorbus Americana. Wild Yellow Plum, or "Canada Plum. Prunus Americana

And also many large shrubs, which sometimes become small trees.

The Star's Horn Sumac. Rhus tumbing. The Poison Sumac, or Dogwood. Rhus any other New England state.

The Hawtherns. Cratacous coccinea, &c. The Witch Hazel. Hamamelis Virginiana. The High Laurel. Kalmia latifolia. Several species of Willow and Alder.

Several species of Cornus, Viburnum, &c. The Forest Trees of New England not

found in Vermont are, The Tulip Tree. Liriodendron Tulipifera. Sweet Gum. Liquidambar Styraciftua. Black Walnut. Juglans nigra. White Hickory, Carya alba.
White Cedar of Middle States. Cupressus

thunides. Chestnut Oak. Quercus Castanea. Post Oak. Quercus obtusiloba.

Cotton Tree. Populus heterophylla. There are three species found in Vermont, and not elsewhere in N. England.

The Overcup White Oak. Querous ma-The Northern Cork Elm. Ulmus racemosa. The Heart-leaved Balsam Poplar. Popu-

hus condicans. The Overcup White Oak belongs to the states of the West, and has not been found even in New York. It was found in 1829,

by Dr. Robbins, in many towns on the western border of the state from St. Al-bans to Bennington. It is distinguished by the great size of the acorn, and the fringed border of the cup.

The Northern Cork Bark Elm was first found in the state of New York, and was described by Mr. Thomas, in Silliman's Journal, in the same year (1829) that it was found by Dr. Robbins in Bennington and Pownal. It is easily distinguished from the other New England species by the broad plates of cork on its branches.

Three fine species of Poplar, the two Balsam Poplars, and the magnificent Vermont Poplar, Populus monilifera, are scarcely found unless cultivated, in any other of the New England states. Neither of these three Poplars, nor the Cotton Pop-lar, have been found native in New York by the Botanists of that State, according most delicate and brilliant blossoms. o the late Report and Catalogue of Dr. Of the four beautiful species of Lady's

Torrey. (According to the younger Michaux, the Cotton Poplar is found native in the west of New York.)

The Vermont Poplar, and the Heartleaved Balsam Poplar, which Dr. Robbins found wild in many parts of Vermont, were not seen native in North America by either the elder or younger Michaux, and do not appear to have been previousv seen in a wild state by any Botanist in the United States.

List of VERMONT PLANTS not found in

Anemone Pennsylvanica, Hudsoniana, Corvdalis aurea,

Nasturtium natans, Sisymbrium teres, Draba arabisans, Sinapis arvensis. Introduced. Cerastium nutans. Flærkea proserpinacoides, Ceanothus ovalis. Lathyrus ochroleucus, Phaca Robbinsii. Zizia integerrima, Symphoricarpus racemosus, Viburnum pubescens, Valeriana sylvatica. Aster ptarmicoides, Solidago humilis, Pterospora andromedea, Justicia Americana, Shepherdia Canadensis. Euphorbia platyphylla, Quercus macrocarpa, Populus candicans,

monilifera, Ulmus racemosa, Listera convallarioides, Calypso bulbosa, Trillium grandiflorum, Zannichellia palustris, Carex eburnea Equisetum variegatum, Aspidium aculeatum, Pteris gracilis.

Resides the species in the above list. many of which are among the rarest and most interesting plants of the U.S. there, are a great number of species common in the west of Vermont, and of Massachusetts and Connecticut, which are entirely unknown in the eastern parts of New England. Among these we may mention the Ginseng, the Golden Corydalis, the curious and beautiful species of Dielytra, and the Spring Beauty, Claytonia Caroliniana, which in early spring spangles the ground in the woods with its cheerful and

Slipper, only two, Cypripedium acaule and arietinum, are found in the eastern part

of New England.
Four species of Trillium are also found
in Vermont, of which one, the magnificent Great flowered Trillium, is found no-

where else in New England. In the eastern part of Massachusetts, no species is found except Trillium cernuum.

Vermont is peculiarly rich in Orchidem. The rare and beautiful Calpyso has been found no where else in the United States, and Listera consultarioides in no other New England state. All the species of New England are found in Vermont, except two, Tipularia discolor and Orchis

rotundifolia.

Of the heautiful order of Ferns, Vermont contains two species not found elsewhere in New England, Ptoris gracific and Aspidium acutedum, and several fine species which are wanting or rare in the east of New England, are common in Vermont. It has all the species of New England except Lagedium palmatum and

Woodwardia onocleoides.

On the other hand Vermont is wanting in a great number of plants common in the south and east of New England. Of course it is destitute of all the species peculiar to the sea shore, and of all the numerons and great Twip Tree, common in the southwest of New England, the splendid Rosebay, and the fragrant Magnoid, are not found in Vermont. In the whole there are more than 500 New England, selles which mention Berkeris valgaris, Silence Peansylvanica, Tephosois Virginiana, Bactai Virgi

tinctoria. The number of known phenogamous plants of New England, with the addition of the Ferns, is nearly or quite 1500, excluding a great number of nominal species generally admitted. The number of plants of Vermont of the same Orders, in the present catalogue, is 929. The whole number of species of the same orders existing within the limits of the state, is doubtless as many as 1100 or 1200, so that there is still a very ample field for the discovery of additional species. Many species, indeed, exist on the very horders of Vermont, in New Hampshire and Massachusetts, which we have no authority for inserting as natives of the state, and have not admitted into the catalogue, although we have no doubt that they are also Vermont plants.

We must not forget to mention that the vegetation of the eastern part of Vermont is greatly inferior in beauty and variety to that of the western horder. The pines and firs prevail more at the cast, and the species of forest trees are not so numerons. While the west has nearly every plant of the east, the east is destitute of a vast number of those of the west. Among the species of Vermont plants wanting at the east, we may mention the Vermont Poplar, both the Balsam Poplars, the Cotton Poplar, the Northern Cork Elm, the Overcup White Oak, Viola Canadensis and rostrata, Dielytra Canadensis, Uvularia grandiflora, Asplenium angustifolium, rhizophyllum, and Ruta muraria, &c., hesides others to he immediately noticed.

tieed. The western ridge of the Allaghamy The wastern ridge of the Allaghamy mountains, which et citi, is broken and interrupted in the state of New York opposite the southwestern border of Vermont, and thus an indirect and difficult entrance is opened to some of the plants of the west and northwest. The western border of Vermont thus appears to become the extern in the plant of the western than the plants of the western than the state of the western than the state of the western than the state of the western in the state of the western than t

According to the control of the cont

Pteris gracilis,
Zizia integerrima,
Lonicera hirsuta,
Polanisia graveolens,
Trillium grandiflorum,\*

Many of the above species, though not found more eastwardly in the United States, may possibly extend farther to the east along the banks of the St. Lawrence. The summits of Mansfield and Camel's Hump Mountain, the highest mountains in the state, have been pretty though the control of the control of the control man, and Mr. Macrae. These mountains, though destitute of trees at their very summits, from the violence of the winds

<sup>\*</sup> Found in New Brunswick, according to Hooker.

which sweep over them, do not probably quite reach the rue limits of trees, and possess only a few of the alpine plants of 60 miles distant to the eastward. The only truly alpine species found on these only truly alpine species found on these only truly alpine species found on the only truly alpine species found on the alpine, January of the species of the alpine, January of the species of the alpine, January of the species of the alpine, Saliz Ura-ursi, Hartsia pullida, Lyopopolium Selago, Sc.

The materials upon which the present Catalogue is founded, are the following. The Catalogue of the plants of Middlebury, published in 1821 in Professor Hall's " Statistical Account of the town of Middlebury," and which was subsequently republished in the first edition of the present work, with the addition of the common cultivated plants, and about 30 indigenous and naturalized species, some of which were probably collected in other parts of the state, making in the whole 569 indigenous and naturalized species. The author of this Catalogue was Dr. ED-WIN JAMES, the well known botanist in Long's Expedition to the Rocky Mountains. It was probably made almost entirely from his own collections, and though literally a mere list of names, it bears the marks every where of the great accuracy and research of its author, then a young botanist. It is still the only au-

thority for several rare species The collections made by JAMES W. Robbins, M.D., of Uxbridge, Mass., who in the year 1829 examined with the greatest care and success the whole western border of Vermont, from Massachusetts to Canada. Dr. Robbins entered the state at Pownal, on the 20th of May, and passing slowly along the western border to the Canada line, examined the large islands of lake Champlain, and afterwards visited Camel's Hump Mountain, leaving the state at Windsor on the 10th of June. On the 20th of July he again entered the state at Guildhall, and after examining the southern border of lake Memphremagog, and the towns in that vicinity, he visited Mansfield Mountain. From thence he proceeded to Burlington and Colchester, where he first discovered the remarkable botanical region at High Bridge and Winooski falls, so rich in rare and interesting plants, and after examining the shores of the lake and the islands of South and North Hero, he visited the mouth of Otter Creek, and, proceeding along the western range of towns from Shoreham to Pownal, left the state at Brattleboro' on the 23d of August. Dr. Robbins found

and collected a vast number of rare and interesting species, a large part of which were additions to the Flora of New England, and many of them were also new to the United States.

The collections of JOHN CARRY, Esq., of the city of New York, well known to Botanists by his contributions to the Flora of Torrey and Gray, who resided at Bellows Falls during the five years preceding 1836, and who also made frequent visits to the northeastern counties of the state. Though Mr. Carey's examinations were principally confined to the eastern part of the state, which is very inferior as a botanizing region to the western border, yet he collected very many rare and interesting plants, among which we may mention Calypso bulbosa, Listera convallarioides, and Equisetum variegatum. Mr. Carey bas also added to the catalogue a large number of common species, especially Grasses and Cyperacere.
The collections of W. F. MACRAE, Esq.

of Montreal, Canada, who, while resident at Burlington a few years ago, as a student in the University of Vermont, cannined with great zad the Botany of that vicinity, and heads the more compared to the residency of the residen

Lichens of New England, visited Cannids Hump and Mansfield commitins, where, besides other rare species, they collected, on the sides of Mansfield, Appellum acadestram, found in the United States only by Mansfield, Applicant earlier, found in the United States only by Mansfield, Applicant acadestram, found in the United States of the Mansfield Mansfield Cannids and Cannids an

J. Chandler, M. D., of Bennington, VI., who also accompanied Dr. Rohbins during a part of his first tour, and several are given on the authority of Isaac Branch, M. D., of Abbeville District, S. C., JRERMAN BERGE, M. D., of Drewsville, N. H., M. M. RERD, M.D. of Jacksonville, Ill., and P. T. WASHBURN, Esq. of Ludlow, V. C.

All the rarer species collected by Dr. Robhins, and many of the common ones, are ascertained from specimens received from him—the remainder rest on the authority of his journals in my possession, which were made daily during his tour. From his thorough acquaintance with the

<sup>\*</sup> Height of Mansfield mountain 4,279 feet, and of Camel's Hump 4,183 feet, above tide water.

#### CATALOGUE OF BUANTS

plants of New England, and our mutual knowledge of each other's species, deri-erally followed, especially as to the nom-ved from long intercourse and inter enlattened the specially as to the nom-ved from long intercourse and inter enlattened the specially as to the nom-ved from the special position of the special pos the energies received from him

amined the species derived from Drs nyms as are most certain and familiar to Branch, Burge, and Reed, in the herba-American Botanists, not always followria of those gentlemen.

I have also seen specimens from Mr. affords no room for their explanation and Macrae, of nearly all the species given on support. Owing to the excellent matehis anthority

2 which corresponds with the first part I have received specimens from Dr. of the Catalogue as far as the genus Bi-Chandler of all the plants given on his dens, inclusive. As to the remaining part, authority, and Dr. Robbins saw and ex- I have preferred such names and synonyms as are most certain and familiar to ing my own opinions, as such a catalogue

rials at my disposal, the Catalogue is his authority.

I have seen only a few specimens from doubtless as complete as that of any state Mr. Carey, but have not hesitated to deforthe Union yet published, and I hope performed to the course with Drs. Torrey and Gray. blue to Botanists.

### CATALOGUE OF PLANTS.

[The sign 6 is prefixed to such species as have been introduced and naturalized.]

### CLASS I. EXOGENOUS OR DICOTYLEDONOUS PLANTS. ORDER RANUNCHLACEE. The Crowfoot Tribe.

Clematis, Linn. Virgin's Bower.
Virginiana, L. Borders of thickets &c., in moist soil. Aug. verticillaris, DC. Shady ledges. Rather rare. May, June.

Anemone, Haller. Wind Francer.

Woods, &c. May nemorosa, L. V Virginiana, L. On dry rocky hills, &c. June July.

var. alba. Castleton, Branch, Robbins. Colchester, Burlington, &c. Robbins. By an accidental transposition, placed under A. cylindrica, in Hovey's Mag. Vol. 7, p. 18.
cylindrica, Grav. Dry hills, &c. Bellows Falls, Carey. Burlington, Macras.

July.

Hudsoniana, Richardson. Torrey & Gray, Vol. 1, Suppl. p. 653. A. multifida, cor. Hudsoniana, DC. T. & G. I. p. 13. On the limestome ledges of the Winoschi river, at Winosoki river, at

lake Champlain. Westhaven, South Hero, &c., Robbins.
At Mallet's Bay, Sharpshin Point, and Winooski falls, Burlington, Macrae. June, July,

Hepatica, Dillen. Noble Linemport triloba, Chaix. Anemone Hepatica, L. Woods. April.

Ranunculus, L. Crowfoot.

aquatilis, L. var. capillaceus, DC. Small streams. June—Sept. reptans, L. var. filiformis, DC. Overflowed borders of rivers and lakes. July, Aug.

abortivus, L. Shady banks, &c. May, June.

acorizus, L. Ditches, &c. July, A. one. sceleratus, L. Ditches, &c. July, A. Aug. acris, L. Buttercups. Meadows, &c. June—Aug. butbosus, L. Buttercups. Pastures on hills, &c. May, June. repeas, L. Low moist grounds. June—Aug.

repens, h. Low most grounds. June—Aug.
Pennsylvanicus, L. Low moist grounds. July, Aug.
recurratus, Poir. Shady moist banks. June.
Purshii, Richardson. R. multifekus, Pursh. Ponds and lakes. Castleton,

Chandler. South Hero, Alburgh, Colchester, &c., Robbins. Middlebury, Burge. May, June.

Caltha, L. Meadow Cowslip. Marsh Marigold.

palustris, L. Wet meadows and swamps. May, June. Coptis, Salisbury. Gold Thread.

trifolia, Salisb. Woods, in boggy soil. May. Aquilegia, Tourn. Columbine.

Canadensis, L. Rocky places. May, June.

Actwa, L.

alba, Bigelow. White Cohast. Rocky woods. May.

rubra, Bigelow. Red Cohast. Rocky woods. May.

Cimicifuga, L. racemosa, Elliott. Actea racemosa, L. Black Snakeroot. Woods. Middlebury,

James. July, Aug. Thalictrum, Tourn. Meadow Rue. dioicum, L. Shady rocky banks. May. Cornuti, L. Moist grounds. July.

ORDER MENISPERMACEE. The Moonseed Tribe.

Menispermum, Tourn. Moonseed.

Canadense, L. Woods, &c. Middlebury, James. St. Albans and South Hero,
Robins. Burlington, Carey. Vergennes, Macrae. June,

ORDER BERBERIDACEÆ. The Barberry Tribe.

Leontice, L. thalictroides, L. Blue Cohosh. Woods. May.

Podophyllum, L. May Apple. peltatum, L. Woods in rich soil. Castleton, Branch. May.

Brasenia, Schreber.

ORDER CABOMBACEÆ. purpurea. Hydropeltis purpurea, Michx. Brasenia peltata, Pursh. In water. In Minaud's pond, Rockingham, Carey. In Colchester pond, Macrae. July.

ORDER CERATOPHYLLACEÆ.

Ceratophyllum, L. Hornwort. schinatum? Gray. In ponds and rivers. Near the mouth of Winooski river, and in lake Memphremagog, Robbins.

ORDER NYMPHEACEE. The Water-Lily Tribe.

Nymphwa, Tournefort. odorata, Aiton. White Water-Lily. Ponds and rivers. July, Aug. Nuphar, Smith.

nact, omica.

advena, Aiton. Yellow Water-Lily. Ponds and rivers. June, July.

luteu. var. Kalmiana, Torr. & Gr. N. Kalmiana, Pursh. Ponds and rivers.

July.

ORDER SARRACENIACEÆ.

Sarracenia, Tourn. purpurea, L. Side-saddle Flower. Forefather's Cup. Sphagnous bogs. June. ORDER PAPAVERACEE. The Poppy Tribe.

Sanguinaria, Dillenius. Blood-root. Canadensis, L. Woods, &c. May.

Chelidonium, Tourn. § majus, L. Road-sides, and about houses. June-Sept.

ORDER FUMARIACEE. The Fumilory Tribe. Dielytra, Borckh.

yus, Dorcal. cueullaria, DC. Woods, &c. May. Canadensis, DC. Spurgel Corn. Woods. St. Albans, Robbins. In the southwest of Vermont, Oakes. May. Adlumia, Raf.

umia, rag. fungosa. Corydalis fungosa, Ventenat. Adlumia cirrhosa, Raf. Rocky woods. Middlebury, James, Burge. Castleton, Burlington, and Westhaven, Robbins. Ludlow, Washburn. July—Sept.

Corvdalis, DC.

aurea, Willd. Rocky woods. Castleton, Chandler. Burlington, Macrae. May, Inna

glauca, Pursh. Rocks and ledges. May, June.

ORDER CRUCIFER E. The Cruciferous Tribe.

Nasturtium, R. Br. turtium, R. Br.

palustre, DC. Wet places. July, Aug.

palustre, DC. var. Americannum, Gray, T. & G. I. p. 75. In shallow water on
the borders of Otter Creek below Vergennes, abundant for several miles, Robbins. July, Aug.

wilgaris, R. Br. Winter Cress. Road-sides, &c., generally in moist soil. June. Arabis, L. Wall Cress.

hirsuta, Scop. A. sagittata, DC. Turritis hirsuta, L. Rocks. June. laevigata, DC. Turritis lavigata, Muhl. Rocks. June.

Cardamine, L. rhomboidea, DC. C. rotundifolia var., Tor. & Gray. Wet meadows. Castleton,

\*\*Ambionizata, D. C. Powenigioniza, Muhl. Brooks, &c. June, July.

hirsuta, L. C. Powenigioniza, Muhl. Brooks, &c. June, July.

pratensis, L. Lady's Smock. Cuckoo Floreer. Wet meadows. Whiting and Alburgh, Chandler. St. Albans, Robbins. May, June. Dentaria, L. Toothwort.

diphylla, Michx. Pepper Root. Woods. May. Woods. Castleton, Robbins. May. lainiata, Muhl.

Sisymbrium, Allioni. morrum, Austral, Soop. Hedge Mustard. Road-sides and abouthouses. June—Aug. 5 officials, Soop. Hedge Mustard. Road-sides and abouthouses. June—Aug. teres, Torr. & Gray, I. p. 93. Cardamine teres, Michx. Vermont, on Lake Champlain, Michawx. No botanist except Michaux has ever collected this species.

Sinapis, L. Mustard. nigra, L. Black Mustard. Old fields, &c. June—Aug. § arcensis, L. Road sides, old fields, &c., called "Charlock," which it resembles. Charlotte and Alburgh, Robbins. About Burlington, Macrae.

May, June. Draba, L. arabisans, Michx. On rocks. On Lake Champlain, Michaux. At Sharpshin Point Burlington, and on the north side of Juniper Island, Macrae, May.

Cochlearia, L. Horse-radish. Banks of rivers, and about houses, in moist soil. June. This well known species is also thoroughly § Armoracia, L. naturalized in Massachusetts, often in places distant from habitations

Camelina, Crantz. Old fields, flax fields, &c. Ferrisburgh, Robbins. Bellows § sativa, Crantz. Falls, Carey.
Lepidium, L. Pepperwort, or "Pepper Grass."

Virginicum, L. Sandy fields and roadsides. June, July.

Capsella, Vent. Shepherd's Purse, & Bursa-pastoris, Moench. Gardens and fields. April-Sept.

Raphanus, L. § Raphanistrum, L. Charlock. Wild Radish. Cultivated grounds. South Hero, Robbins. June, Sept.

ORDER CAPPARIDACE E. The Caper Tribe.

Polanisia, Raf. graveolens, Raf. On the gravelly banks of Lake Champlain, above high water. July, Aug.

ORDER POLYGALACEE. The Milkwort Tribe.

Polygala, L. Milkwort. verticillata, L. Dry Soils. At Bellows Falls, Tuckerman, Carey. July-Sept.

Senega, L. Seneca Snake-root. Dry rocky woods and banks. June. polygama, Walt. P. rubella, Willd. Dry fields and borders of woods. July. Aug.

paucifolio, Willd. Pine woods and sphagnous swamps. May, June.
ambiguo, Nuttall. Dry fields, &c. Pownal, Robbins. July, Aug.

OPPER VIOLACE E. The Violet Tribe.

Viola, L. Violet. palmata, L. Woods and shady banks. Pownal, Robbins. May.

polmata, L. Woods and shady banks. Pownal, Reconst. May.
cucullota, Ait. Wet meadows and woods. May.
sagittata, Ait. var. evata, T. &. G. I. p. 138. V. ovata, Nutt. Dry hills, &o.
May.
rotundifolia, Michx. Woods. May.

rotundifolia, Michx. Woods. May. blonda, Willd. Wet meadows and woods. May. Muhlenbergii, Torrey. Moist woods. May, June. rostrata, Fursh. Woods. May, June. pubescens, Ait. Woods. May, June. Canadensis, L. Woods. May, June.

ORDER DROSERACEE. The Sundew Tribs.

Drosera, L. Sundew.
rotundifolio, L. Sphagnous bogs. June—Aug.
longifolio, L. Sphagnous bogs. June—Aug.
Parnassia, Tourn. Grass of Parnassia.
Caroliniana, Michx. Wet meadows, &c. Aug., Sept.

ORDER CISTACE E. The Rock-rose Tribe.

Helianthemum, Tourn Conadense, Michx. Dry sandy pastures, &c. Pownal, Robbins. Bellows Falls,
Carey. Burlington, Macrae. June.

Lechea, L. Pin Wed.

major, Michx. Dry patures, &c. Middlebury, Jamez. July, Aug.
miner, Lam. Dry hills, &c. Middlebury, James. Burlington, Macrosc.
Bellows Falls, Carey. July, Aug.

ORDER HYPERICACEÆ. The St. John's Wort Tribe.

Hypericum, L. St. John's Wort.

pyramidatum, Ait. H. assyroides, Willd. Banks of rivers. Burlington, Bigelow. Near Rutland, Robbins. On Black river, Springfield, Carey. On White river, between Royalton and Hartford, Oakes,

July, Aug. Common St. John's Wort. Grass fields, pastures, &c. July. § perforatum, L. August.

corymbozum, Muhl. Shady banks, &c. July, Aug.
ellipticum, Hooke.

Ellipticum, Hooke.

Forriborum, Robies.

Burlington, Tuckernan. Bellows

Burlington, Tuckernan. Bellows

Burlington, Tuckernan. Bellows

Burlington, Tuckernan. Bellows

Burlington, July, Aug.

Conciouse, L. Wet oils. July, Aug.

Elodea, Adans. Virginico, Nutt. Swamps, &c. Middlebury, James. Bellows Falls, Carey. Burlington, Macrae, July, Aug.

ORDER ILLECEBRACE . The Knot-grass Tribe.

Spergula, Bartl.

§ arvensis, L. Corn Spurrey. Old fields, &c. June. Oct. Anychia, Miche.

dichotomo, Michx. Dry hills, &c. Pownal, Robbins. July, Aug. ORDER CARYOPHYLLACE E. The Pink Tribe.

Mollugo, L. verticillata, L. Sandy soils. Bellows Falls, Carey. July-Sept. Arenaria, L. Sandwort. stricta, Michx. Rocks. June.

Grænlandica, Spring. A. glabva, Bigel. non Michx. On the summits of Mansfield mountain and Camel's Hump, Robbins, Tuckerman, and Macrae. July, Aug. (Identical with A. glabra of Michaux, Macrae.

§ Serpyllifolia, L. Sandy fields. Burlington, Tuckerman. May—July. lateriflora, L. Moist woods. Middlebury, Burge. Fairhaven, Robbins. June.

Stellaria, L. § media, Smith. Chickweed. Gardens, &c. April-Nov. longifolia, Muhl. Bellows Falls, Carey. June.

tongyone, attun. Zerbwe 2 and on moutains. June, July.

Cerastiun, J. Mouse are Chickneed.

§ rulgatum, I. Roadside, &c. June.

Mathematical Raf. Most shady places. Middlebury, Burge. Danby and Rutland, Dabbas. Mathematical Raf. Most Mathematical Raf. Mathematic Robbins. May.

Silene, L. Catchin.

antirrhina, L. Dry fields, &c. On the rocks about Winooski fulls, Colchester.

Robbins. Bellows Falls, Carey. June.

§ noctiflora, L. Old fields, &c. Bellows Falls, Carey. Burlington, Macrae.

July. Agrostemma, L. Githago, L. Corn Cockle. Cultivated fields, &c. June. ORDER PORTULACEÆ. The Purslane Tribe.

Portulaca, L. oleracea, L. Purslane. Gardens, &c. July, Aug.

Claytonia, L. Caroliniana, Michx. Spring Beauty. Woods. April, May. ORDER LINACEÆ. The Flax Tribe.

Linum, L. Flax § usitatissimum, L. Common Flax. Old fields, &c. July. Virginianum, L. Dry woods, &c. Pownal, Robbins. June—Aug. ORDER GERANIACEA. The Geranium Tribe.

Geranium, L.

manum, L. Woods. June.

Garoliniomum, L. Dry soils. Bellows Falls, Carey. Burlington, Gakes. June.

Robertianum, L. Shady ledges, &c. June—Sept.

§ dissectum, L. Hills. Castleton, Rakkins. June, July. Exactly the European plant, and found also by Dr. Robbins at Augusta, Me., and Uxbridge, Mass.

ORDER BALSAMINACEÆ. The Balsam Tribe.

Balsam Impatiens, L. atiens, L. Balsam.
pallida, Nutt. Moist shady grounds. Pownal, Oakes. At the base of Mansfield mountain, Westhaven, Jericho, &c., Robbins. Guildhall, Carey.

fulva, Nutt. Moist grounds. Aug. Sept. ORDER LIMNANTHACEÆ.

Florkea, Willd. proserpinacoides, Willd. Wet banks, and margins of streams, &c. Castleton, Robbins. May.

ORDER OXALIDACEÆ. The Wood-sorrd Tribe.

Oxalis, L. Wood-sorrel.

acetosella, L. Mountain woods. June, July. stricta, L. Cultivated grounds. June-Sept.

ORDER XANTHOXYLACEÆ.

Xanthoxylum, L. Americanum, Miller. X. traxineum, Willd. Priedly Asi. On rocky hills and banks. Middlebury, James. Ferrisburgh, Shoreham, Grand Isle, Shelburne, St. Albans, and Arlington, Robbins. April,

## ORDER ANACARDIACE. The Cashen Tribe.

Rhus, L. Sumac.

18, L. Souther.

(Stag's horn Stande. Hills. June.

(typhina, L. Smoods Stande. Hills, &c. July.

Smoods Stande. Hills, &c. July.

Copullins, L. Mountain Stande. Hills and pasteres. July.

concatte, D.C. R. vernix, L. in part. Pricen Stande.

Swamps, June.

Swamps, June.

Toxicodendron, L. Poison Ivy. Woods and along fences. June. aromatica, Ait. Dry hills and banks. Shoreham, Dr. Hill. Westhaven and Pownal, Robbins. May.

ORDER MALVACER. The Mallow Tribe.

Malva, L. Mallows. § rotundifolia, L. Road-sides and about houses. June-Sept.

Abutilon, L. Waste places, cultivated grounds, &c. Pownal, Robbins. Aug., Sida, L. Sept.

ORDER TILIACE E. The Linden Tribe.

Tilia, L. Linden, or Lime Tree. Americana, L. Bass Wood. Woods. July.

ORDER VITACEÆ. The Vine Tribe.

Labrusca, L. Fox Grape. Woods and thickets. June.
Labrusca, L. Fox Grape. Woods and thickets. June.
asticolis? Michx. Summer Grope. Banks of rivers, &c. On the alluvial asticolis? Michx. Hockets, near High Bridge, Colchester, Robbins. Rocks at Sharpshin Point, Burlington, Macros. Vitis, L. Vine.

Bellows Falls, Carey. June. riparia, Michx. Thickets on the banks of rivers. Bellows Falls, Carey. June. cordifolia, Michx. Frost Grape. Wester Grape. Borders of thickets, &c. June.

Ampelopsis, Michx. quinquefolia, Michx. Common Creeper. Woods, &c. July.

ORDER ACERACE A. The Maple Tribe.

r, L. Dieple.

A. striatum, Michx. Striped Maple. Woods. May, June. spriatum, Lan. A. modamum, Ait. Monatein Meple. Woods. June. spriatum, Lan. Sugar Maple. Woods. May. var. nigrum. A. nigrum, saccharlum, L. Sugar Maple. Woods. May. var. nigrum, Michx. Black Sugar Maple. Woods. May. dispersion, D. Woods. May. Michx. Black Sugar Maple. Woods. May. rubrum, L. Red Meple. Swamps, &c. April, May. Acer, L. Maple.

### ORDER CELASTRACE E.

Staphylea, L. Bladder-nut. trifolia, L. Rocky banks, &c. Middlebury, James. Pownal, Rolbins. May. Celastrus, L.

scandens, L. Wax-work. False Bitter-Sweet. Borders of woods, fences, &c. June.

ORDER RHAMNACEÆ. The Buck-Thorn Tribe.

Rhamnus, L. Buck-thorn. alnifolius, L'Her. Sphagnous swamps. Castleton, Whiting, Craftsbury, &c., Robbins. Hubbardton, Chandler. Danville, Carey. May, June.

Ceanothus, L. Americanus, L. New Jersey Tea. Dry woods, pastures, &c. July oradis, Bigel. Dry open sandy woods, &c. Burlington, June. ORDER LEGUMINOS E. The Pea and Bean Tribe.

Vicia, L. Vetch. Sativa, L. Common Vetch. Tare. Old fields, &c. July. Cracca, L. Old fields, &c. Middlebury, Burge. June, July.

Lathyrus, L.

nyrus, L. Sover Pen. On the sandy shore of maritimum, L. Sover Pen. On the sandy shore of maritimum, Burdington, Macrox. June, July, palastris, L. What Ohamphin, Harlington, Macrox. June, July, var. myrifelias, L. mwrifelias, Mahl. "In Vermont. Torrey & Gray." extra myrifelias, L. mwrifelias, Mahl. "In Vermont. Torrey & Gray." ochroleucus, Hooker. L. giouzhjohu, Beck. On the banks of lake Champhin, in dry poli, in North and South Hero, Robbins. June, July.

Apios, Boerhaave. tuberosa, Monch. Glycine Apies, L. Ground Nut. Moist shady places. Aug

Amphicarpsea, Elliott.
monoica, Elliott.
Glycine monoica, L. Woods. July.
Trifolium, L. Clover. Trefoil.

onum, L. Clover. Trefout.
§ arcense, L. Dry sandy soil. July, Aug.
§ pratense, L. Red Clover. Meadows, fields, &c. June—Sept.
repens, L. White Clover. Meadows, fields, woods, &c. May—Oct.

Melilotus, Tourn. Melilot.

officinalis, Willd. Yellow Melilot. Middlebury, James June-Aug. Medicago, L.

§ lupulina, L. Nonesuch. Fields, &c. South Hero. Robbins. June, Aug. Phaca, L.

Robinsii, Oakes, in Hovey's Mag, May, 1841. On a limestone ledge in Burlington, on the banks of Wincoski river, a quarter of a mile below High Bridge, Robbins. May, June. Desmodium, DC. Hedysarum, L.

modium, DC. Hedystum, L. mudiform, DC. Hedystum, L. mudiform, DC. Dry woods. Aug.
Canadense, DC. Woods and by fences.
Canadense, DC. Woods and by fences.
Canadense, DC. Dry soil. Pownal, Fobbins. Aug.
passiculatum, DC. Dry woods. Ferrisburgh, Fobbins. Aug.
Dillenti, Darlington. Dry woods. Bellows Falls, Carry. Aug.

Dittent, Darington. Dry woods. Bellow's ans, Carg. Neg-espodeza, Micker, Hedysarum, L. violacea, Pers. Dry woods. Rockingham, Carey. Aug. kirta, Ell. Dry fields, banks, &c. Colchester, Robbins. Aug. capitata, Michx. Dry pastures, &c. Bellows Falls, Carey. August.

Lupinus, L. Lupine.
perennis, L. Wild Lupine. Sandy woods and fields. June.

Cassia, L. Marilandica L. Wild Sonna. Orwell, Dr. Hill. Bellows Falls, Carey. Aug. ORDER ROSACEÆ The Rose Tribe.

Prunus, Tourn. Plum. Americana, Marshall. P. nigra, Ait. Canada Plum. Wild Yellow Plum .-Woods. May.

Cerasus, Juss. Prums, I. Cerry.
pumila, Michx. Sand Chory.
Pennsylvanica, Loisel. C. boralis, Michx. Wild Red Chory. Woods. May.
Pennsylvanica, Loisel. C. boralis, Michx. Wild Red Chory. Woods. May.
servina, DC. C. Virginiana, Michx. Wild Black Chory. Fields, woods, &c. June.

Virginiana, DC. P. obovata, Bigel. Choke Cherry. Fields, woods, &c. June. Spiræa, L.

salicifotia, L. Meadow Sweet. Low grounds. July, Aug. tomentosa, L. Hardhack. Low grounds. July, Aug.

Geum, L. Avens. strictum, Ait. Low grounds. July. Virginianum, L. Fields, &c. June, July.

rivale, L. Water Avens. Bogs, June. Waldstenia, Willd. fragarioides, Tratt. Dalibarda fragarioides, Michx Woods. June.

Agrimonia, Tourn. Agrimony.

Eupatoria, L. Woods and pastures. July.

Potentilla, L. Cinquefoil.

fruticosa, L. Bogs. July—Sept. Canadensis, L. P. simplez, Michx. Five Finger. Woods. May, June. var. pumila. P. Pumila, Poir. Pastures, &c. May—Aug.

Norregica, L. Old fields, &c. June—Aug. tridentata, Ait. On the Alpine summits of Mansfield mountain and Camel's

remembers, All. On the Appine summits of Mannfield mountain and Camel's argula, Pursh. P. confertifiora, Torrey. Rocky Hills. Pownal, Castleton, Robbins Bellows Falls, Carey. May, June. Robbins Bellows Falls, Carey. Burlington, Macrae. Bellows Palls, Carey. Burlington, Macrae. Pownal, Robbins. June.

Comarum, L. polastre, L. Bogs. Burlington, Robbins. Charleston, Carey. July. Preguina, Pour. Standardy. Freguina, Pour. Standardy. Woods and mendows. May. Freguinare, Etch. Wild Strandardy. Woods and mendows. May. Common "English" Wood Strandardy. Woods, especially on vecce, L. mountains. May.

Dalibarda, L. repens, L. Woods, especially on mountains. June—Aug. Rubus, L. Bramble.

usa, t. nermote.

odoratus, L. Flowering Raspberry. Shady rocky banks. June—Aug.

strigons, Michx. Rod Raspberry, Alvan woods. May June

strigons, Michx. Rod Raspberry, Alvan woods. May June

strigons, Michx. Rod Raspberry, Brodes of woods and fields. June

Canadensis, L. R. tricialis, Fursh. Low Blackberry. Fields, &c. June.

hispipada, J. R. semperrieura and setoms, Bigelow. Woods. June. triflorus, Richardson. R. sazatilis, Michx. Swamps and woods. June.

Ross, Tourn - Rose.

Carolina, L. Borders of swamps, &c. July.

Lucida, Ehrh. Pastures, &c. July.

blanda, Ait. On rocks. Bellows Falls, Carey. Burlington, Macrae. On the

ledge near High Bridge, Burlington, with Phaca Robbinsii, Oakes. June. Sweet Briar. Thickets, pastures, &c. June, July. § rubiginosa, L.

Cratagus, L. Hawthorn.
coccinea, L. Borders of thickets, &c. May, June.

coccines, D. Border's of influences, &C. Jay, June.

tomentosa, L. var. B., Torrey & Gray, I-465. Thickets, &c. Bellows

Falls, Carey. May, June.

punctata, Jacq. Borders of woods, &c. Ferrisburgh, Charlotte, Colchester, &c. Robbins, May, June.

Pyrus, L.

Americana, DC. Sorbus Americana, Willd. Mountain Ask. Woods, especially on mountains. June.

Amelanchier, Medic. Dr. Mespillus, L. Aronia, Pert. Juncherry.
Canadensis, T. & G. 1.—473. Mespilus Can. L. Pyrus Botryapium, L. fil.
var. Botryapium, T. & G. Woods, &c. May, June
var. oldongfolia, T. & G. Woods, &c. May, June
var. oldongfolia, T. & G. Kocky banks of rvers, &c. May, June.
var. rollyocarps, T. & G. Near the summits of Camel's Hump and Mansfeld
months, Bubbles, Mechenome, and Marcace. In a swamp
months, Bubbles, Mechenome, and Marcace. In a swamp at Guildhall, Carey. June.

ORDER LYTHRACEE. The Loosestrife Tribe.

Decodon, Gmelin. perticillatum, Elliott, Luthrum vert., L. Borders of ponds, &c. Colchester. Robbins.

ORDER ONAGRACEE. The Evening Primrose Tribe.

Epilobium, L. Willow Herb. angustifolium, L. E. spicatum, Lam. Burnt woods, &c. July, Aug. coloratum, Muhl. Wet places. July, Aug. palustre, L. var. albiforum, Lehm. E. lineare, Muhl. E. squamatum, Nuttall.

Swamps. Aug.

Enothera, L. Evening Primrose. biennis, L. Old fields, &c. July, Aug.

pumila, L. Old fields, &c. June-Sept. Circaea, Tourn. Enchanter's Nightshade.

Lutetiana, L. Woods, &c. July.

alpina, L. Old woods, on fallen mossy trunks, &c. July, Aug. SUB-ORDER HALORAGEÆ.

Proserpinaca, L. palustris, L. Ditches, borders of ponds, &c. July, Aug.

Myriophyllum, Vaill. Water Milfeil. spicatum, L. In ponds, &c. July.

ORDER CUCURBITACE A. The Gourd Tribe.

Sicyos, L. Single-seeded Cucumber.

angulatus, L. Cultivated grounds and river banks. Aug.

Echinocystis, Torrey d. Gray, 1, 542. lobata, T. & G. Momordica echinata, Willd. Hexameria echinata, T. & G. in New York State Cat. p 137. Alluvial banks of rivers. On the Hoosic, Pownal, Vt., Oakes. On the Winooski, below High Bridge, Colchester, Robbins. Aug.

ORDER GROSSULARIACE E. The Current and Gooseberry Tribe.

Ribes, L. Current and Gooseberry.

Cynosbati, L. Rocky woods, &c. May. lacustre, Poiret. Rocky mountain woods. May, June.

prostratum, L'Herit. R. rigens and trifidum, Michx. Mountain woods. May. floridum, L'Herit. Wild Black Currant. Woods. Bridgewater, Thompson. May. rubrum, L. Red garden Currant. Swamps. St. Johnsbury, Carey. Also on the rocky banks of the Winooski, Oakes. May, June.

ORDER CRASSULACE.E. The House-leek Tribe.

Penthorum, L.

sedoides, L. Low moist places. July, Aug.

ORDER SAXIFRAGACEÆ. The Saxifrage Tribe.

Saxifraga, L. Saxifrage.

Virginiensis, Michx. Rocks. May. Pennsylvanica, L. Wet meadows and swamps. May, June.

diphylla, L. False sanicle. Woods. May.
nuda, L. M. cordifolia, Lam. M. prostrata, Michx. Shady bogs. May, June.
Tiarella, L. Mitre Wort.

cordifolia, L. Woods. May, June. Chrysosplenium, Town. Golden Saxifrage.

Americanum, Schweinitz. C. oppositifolium, Michx. &c. not L. Wet boggy soil. May, June.

ORDER HAMAMELACEÆ. The Witch Hazel Tribe.

Hamamelis, L. Witch Hazel. Virginiana, L. Woods, &c. Oct., Nov.

ORDER UMBELLIFERÆ. The Umbelliferous Tribe.

Hydrocotyle, Town. Marsh Penny Wort. Americana, L. Swamps, &c. July, Aug. Sanicula, Towns. Samicle. Marilandica, L. Woods. June.

Cicuta, L. maculata, L. Water Hemlock. Moist meadows, &c. July, Aug. bulbifera, L. Borders of swamps, &c. August. Sium, L. Water Parsnip.

latifolium, L. Wet places. July, Aug. Cryptotenia, DC.

Canadensis, DC. Sison Canadense, L. Shady banks, &c. July. Zizia, Koch.

aurea, Koch. Smynium aureum, L. Meadows, &c. July. integerrima, DC. Smyrnium integerrimum, L. Shady banks, &c. June.

Thaspium, Nutt. cordutum, Torrey & Gray, 1, 615. Middlebury, James. June. Conioselinum, Fisch

Canadense, T. & G. 1, 619. Scienum Can., Michx. Cnidium Can., Spreng. Cedar swamps and wet woods. Fairhaven, and at the base of Mansfield mountain, Robbins. Burlington, Macrae. July. Archangelica, Hoffm

atropurpurea, Hoffm. Angelica triquinata, Michx. Angelica. Low grounds. July.

Pastinaca, Thurn.

§ sativa, L. Common Parsnep. By fences, &c. June, July. Heracleum, L. Com Parsnep. lanatum, Michx. By fences, &c. June, July.

Osmorhiza, Raf.

longistylis, DC. Sweet Cicely. Woods. May, June. brevistylis, DC. Conium, L. Hemlock.

§ maculatum, L. Poison Hemlock. Road sides, &c. July, Aug. ORDER ARALIACEE. The Aralia Tribe.

Aralia, L.

nudicaulis, L. Wild Sarsaparilla. Woods. May, June. racemosa, L. Spikenasd. Woods and shady banks. July. hispida, L. Burnt woods, &c. July. Panax, L. Ginseng.

quinquefolium, L. Common Ginseng. Woods. July. trifolium, L. Dwarf Ginseng. Moist woods. May.

ORDER CORNACEE. The Dogwood Tribe.

Cornus, L. Dogwood alternifolia, L. Woods. June.

atternifolta, L. Woods, Van Middlebury, James. Castleton, Colchester, and Eurington, Robbins. Bellows Falls, Caren. June. Stolonifera, Michx. Cormsa alka, Wang. Banks of streams, &c. May, June. panitulata, L'Her. Borders of woods, &c. June.

sericea, L. Low grounds, &c. July.
florida, L. Common Dogwood. Woods. Castleton, Robbins. May, June.

Canadensis, L. Woods. May.

ORDER CAPRIFOLIACEÆ. The Honeysuckle Tribe.

Linnea, Gronov borealis, Gronov. Linnaa. Old woods. June, July-

Symphoricarpus, Dillenius.

racemosus, Michx. Snowberry. Rocky banks. On Grand Isle and South Hero, at the "Point of Rocks" in Shoreham, and at Fort Cassin, Robbins. On the extremity of Sharpshin Point, Burlington, Macrae. July, Aug.

Lonicera, L. Honeysuckle. hirsuta, Eaton. Rocky woods. Middlebury, James. Castleton, Branch. Pownal, Robbins. June.

parviflora, Lam. Rocky banks, &c. June.
ciliata, Muhl. Shady ledges, &c. May, June.
corrulea, L. Xylosleum villosum, Michx. Bogs, &c. May, June.

Diervilla, Tourn. trifida, Mench. D. Canadensis, Willd. Rocky woods. July.

Triosteum, L. Irioszeum, L. perencert. Rocky woods, &c. Bennington, Robbins. May, June. Sambucus, Tuara. Elder. Canadensis, I., Common Elder. Along fences, &c. July. putens, Michx. Red-berried Elder. Woods and mountains. May.

Viburnum, L. nudum, L. V. pyrifolium, Pursh. V. cassinoides. L. Moist woods, &c. June. Lentago, L. Moist thickets. June.

Dentago, Ir. Arrow wood. Moist thickets. June. dentatum, I. Arrow wood. Moist thickets. June. Dry rocky banks. Middlebury, James. Shoreham, Castleton, pubescens, Pursh. Dry rocky banks. Middlebury, James. Shoreham, Castleton, and Westhaven, Robbins Sharpshin Paint and a high rock behind it, Burlington, Macrae. June.

acerifolium, L. Rocky woods. June.

Opulus, L. car., Austrianus, Ait. V. Orzyaczus, Pursh. Cramberry Bush.

Var. eradianus, Oakse in Horvey's Mug, May, 1841. V. pauciforum, La

Pylaic. T. & G. 2, 17. Near the summit of the

Mansfeld mountain, Tuderoms and Macros. 140. Lantanoides, Michx. Hobble Bush. Old woods. May, June.

ORDER RUBIACEÆ. The Madder Tribe.

Houstonia, L. carulea, L. Wet pastures, &c. May, June. longifolia, Michx. Dry woods. July.

longifolis, Michx. DTY wome.

dayarise, L. Gasse greas. Cleavers. Shady banks. June.

dayarise, L. Gasse greas. Cleavers. Shady banks. June.

stripidam, L. Gasse greas. Cleavers. Shady banks. June.

stripidam, L. Gasse greas. Cleavers.

dayarellam, Michx. Woods.

June, July.

pilozsum, Alt. Dry pastures, &c. Pownal. Robbins. June.

circactans, Michx. Woods. June, July.

par. lanceolatum, Tor. & Gray. G. anc. Torrey. Woods. Castleton,

par. lanceolatum, Tor. & Gray. G. anc. Correy. Woods. Castleton,

par. lanceolatum, Tor. & Gray. G. anc. Correy. Woods.

This Correy.

This Correy.

par. Israeces Branch. Demonstrate Parks. Carry. 24. G. Litelii, Oakes in Horey's Magrame, rear. montanum, May, 1841. On the sides of Camel's Hump mountain, Mobies. Notch of Mansfeld mountain, Tuckermon and Macros. July, August. A pubsecent var. grows on Dairy Buffington, Macrae.

Cephalanthus, L. Button Bush. occidentalis, L. Small ponds and wet places. July, August.

Mitchella, L. Checker-Berry. repens, L. Woods. June, July.

ORDER VALERIANACE E. The Valerian Tribe.

Valeriana, Tourn. Valerian.
sylvatica, Herb. Banks. Cedar and other swamps. Fairhaven and Craftsbury.
Robbins. May—July. ORDER DIPSACE E. The Teasel Tribe.

Teasel. Dipsacus, L. § sylvestris, L. Wild Teasel. Waste grounds. Castleton, Reed. ORDER COMPOSITÆ.

Vernonia, Schreber. Noveboracensis, Willd. Iron-weed. Low grounds. Middlebury, James. Aug.

perfoliatum, L. Therough seert. Bogs and wet grounds. Aug. ageratoides, L. f. Shady banks, &c. August, Sept. purpurers, L. E. criticili. and maculatum, L. Moist grounds. Aug., Sept. August, Cas. L. Tussilago palmata, Ait. Swamps. Fairhaven, Robbins. palmata, Hook. April, May.

Tussilago, Tourn. ? § Farfara, L. Colts-foot. Banks of streams, and moist banks. Pownal, Oakes.
Danby, Castleton, Grand Isle, Arlington, &c., Robbins. Burlington, Tuckerman. Rockingham, Carey. April, May.

Aster, L. Starwort. conyzoides, Willd. Dry open woods, &c. Pownal and Arlington, Robbins.

July, August.

Jaiy, August.

lazis, L. Borders of woods, &c. Bellows Falls, &c., Carey. Aug., Sept.

undulatus, L. Dry woods, &c. Burlington, Macrae. Bellows Falls, Carey.

August, Sept.

Woods and shady banks, Aug., Sept. corymbosus, Ait. Woods and shady cordifolius, L. Woods, &c. Sept.

multiflorus, Ait. Dry hills, pastures, &c. Pownal, Robbins. Aug., Sept.

dumosus, L. var. strictior, T. & G., 2, 128. Borders of woods, &c. Tradescanti, L. var. fragikis, T. & G., 2, 129. Rocky banks of the Winooski,

Tradescenti, L. var. fragiki, T. & G., 2, 129. Rocky banks of the Wincocki, miser, L. var. kirastranic. T. & G., 2, 131. Borders of thickets, deliver Elais, Cares, Berlingdon, Morrez, Aug., Sept. simpler, Wild. McHowe Elais, Cares, Berlingdon, Morrez, Aug., Sept. simpler, Wild. Wellowe Elais, Cares, Berlingdon, Morrez, Aug., Sept. simpler, Wild. Words, & C. Bellows Falls, Cares, August, Sept. promisers, L. Low moist grounds. August, Sept. None-singlia, L. Moist grounds, &c. Middlebury, Jonne. Sept. accuminatus, Michi. Woods, August, Sept. paternicoides, T. & G., 2, 160. Chrystopia che, Nutt. Hibeatrum album, DC. Rocky hills, Povnal, fieldein. August.

linariifolius, L. Dry sandy pastures, &c. August, Sept. umbellatus, Miller. Moist thickets. August, Sept. macrophylius, L. Dry woods. Sept.

Erigeron, L. Flea-bane,

Canadense, L. Old fields, &c. July-Oct. bellidifolium, Muhl. Poor Robert's Plantain. Borders of woods, &c. May, June

Philadelphicum, L. E. purpureum, Ait. Banks of rivers. Putney, Reed. Burlington, Robbins. Bellows Falls, Carey. June. strigosum, Muhl. E. Philadelphicum, and E. integrifolium, Bigel. Fields, &c. June-Aug. E. heterophytlum, Muhl. E. strigosum, Bigel. Old fields, &c. annuum, Pers.

July, August. Solidago, L. Golden Rod.

Canadensis, L. About fences and woods. August, Sept. gigantea, Ait. Borders of woods, &c. Bellows Falls, Carey. August, Sept. juncea, Ait. S. arguta, Torr. and Gray. Borders of woods, &c. Burlington, Carey.

neglecta, Torrey & Gray. Moist woods, &c. Fairhaven, Robbins. Aug., Sept.

negicia, lorrey & Gray. Moist woods, &c. Farinavei allissima, L. Low grounds, &c. August, Sept. nemoralis, Ait. Dry fields and hills. August, Sept. odara, Ait. Woods. August, Sept. bicolor, L. Dry woods. August, Sept. cezia, L. Woods. Bellows Falls, Carey. Sept.

Cosia, L. Woods. Bellows: and Scape. Recticulis, L. S. latifolia, L. Shady banks and woods. Sept. virgaurea, L. Bigel. S. thysroidea, E. Meyer. T. & G., 2, 207. Woods on the sides of Killington Peak and of Mansfield Mountain. Robbins. August.

squarrosa, Muhl. Dry banks and woods. Castleton, Essex and Colchester, Robbins. August, Sept. lanccolata, L. Low grounds, &c. August, Sept. humilis, Pursh, 2, 543. On limestone rocks at Winooski falls, Colchester,

and also on the ledge with Phaca Robbinsii, Burlington, Robbins. August.

Inula, L. Helenium, L. Elecampane. Road sides. August.

Xanthium, L. Cocklebur. Strumarium, L.

var. Canadense, Torrey and Gray. Road sides, &c. Middlebury, James. South Hero, Robbins. Burlington. Carey. August.

Ambrosia, L.

Artemisiafolia, L. A. elatior, L. Bitter Weed. Old fields, &c. Aug., Sept. trifida, L. Low grounds. Pownal, Robbins. August, Sept. Rudbeckia, L.

Helianthus, L. Low grounds, &c. August, Sept.
Helianthus, L. San foncor.
diversicatus, L. Sandy woods, &c. August, Sept.
decaptedus, L. Moist places and woods about Burlington and Colchester, Macrae, August, Sept.

Bidens, L. Bur Marigold, frondosa, L. Moist fields, &c. August, Sept

chrysanthemoides, Michx. Wet grounds. Bellows Falls, Carey. Aug., Sept. cernua, L. Wet grounds. August. Sept. Beckii, Torrey, Lakes, ponds, &c. In Lake Champlain, near Benson Chandler. August. Sept

connata. Muhl. Moist grounds. Middlebury, James. August. Sept.

Anthemis, L.
cotula, L. May weed. R.
Achillea, L. Yarrow, Milfoil. May weed. Road sides, &c. July-Sept.

8 Millefolium, L. Pastures, &c. July, August.

Chrysanthemum. L.

leucanthemum, L. Whitewood. Pastures and grass fields. June—Aug. Artemisia, L. Wormwood.

& Absinthium, L. Common Wormwood, Road sides, &c. Naturalized abundantly

§ Absundatum, L. Common Wormwood. Road sides, &c. Naturaized abundantly in Danby, Barre, Williamstown, Mount Tabor, Dorsel, Pownal, &c., Robbins. Aug. 
§ vnlgaris, L. Mugworf. Road sides, &c. in Castleton, Branch. Middleburg, Burge. In North Hero, St. Albans, Georgia, Danby, &c. 
Robbins. Hubbardton, Chamber. Swanton, Garcy. Cofichester, Oakes, July, August.

Tanacetum, L. Tanay.
§ vulgare, L. Common Tanay.
Road sides, &c. August.
Gnaphalium, L. Cohmond.

decurrens, Ives. Fields and pastures. Near Mansfield Mountain, Robbins.
Highgate, Tuckerman. Bellows Falls, Carey. Burlington and Colchester, Oaks. August, Sept. polycephalum, Michx, Life everlasting. Fields and pastures. Angust, Sent.

uliginosum. L. Low grounds. August, Sept. Antennaria, R. Br.

margaritacea, R. Br. Gnaphalium marg. L. Pastures, &c. August, Sept. plantarinea, R. Br. Gnaph. plant. L. Pastures, &c. April, May. Senecio, L. Grounded

Balsamita, Muhl. Rocky banks. June. obovatus, Muhl. Dry rocky banks, &c. Bennington and Pownal, Robbins,

May, June. aureus, L. Bogs, &c. June.
var. lancolatus, Oakes, in Hovey's Mag. May, 1841. In a cedar swamp at
Brownington, Kobbins. July.
hieracifolius, L. Fireweed. Low grounds, &c. Aug.

Cirsium, Tourn, Thistle.

§ lauceolatum, Scop. Cardus lanceolatus, L. Road-sides, &c. July—Sept. discolor, Spreng. Cricus discolor, Muhl. Fields and woods. Aug. pumilum, Spreng.

Cincus discolor, Mulh. Fields and woods. Aug.
Cincus odordus, Mulh. Carduss pumilses, Nutt. Pastures.
Essex, Robbins. Bellows Falls, Carg. Sept., Oct.
Caious gladinosus, Big. Moist woods. August, Sept.
Cinious arrenas, Hoff. Canada Thistle. Fields, meadows,
roadsides, &c. July, Sept. muticum, Michx. § arvense, Scop. Onopordon, L. Cotton Thistle.

§ Acanthium, L. Dry pastures, &c. Williston and Grand Isle, Robbins.

Arctium, L. Lappa, L. Burdock. Waste places. July—Sept. Lactuca, Town. Lettuce. clongata, Muhl. Along fences, &c. July.

var. sanguinea. L. sanguinea, Big. Dry pine woods. July. Aug. Leontodon, L.

Tarazacum, L. Dandelion. Fields, gardens, &c.

Sonchus, L. Son thistle. oleraceus, L. Common Sow thistle. Gardens, &c. August, Sept.

var. spinulosus, S. spinulosus, Bigle. S. oleracons E. Smith E. H., 3, 344.

Pluk. t. 61, f. 5. Waste grounds, &c. Bellows Falls, Carey,
Common in the east of Massachusetts, and apparently starved variety of S. oleraceus, though the ochenia are also smoother than in the common variety.

floridanus 9 L. S. acuminatus, Bigelow. Moist woods. August, Sept. Hieracium, L. Hawk-weed.

venosum, L. Dry open woods, &c. June.

Marianum, Willd. Dry woods, &c. Aug. Canadensis, Michx. H. Kalmii, Bigelow, &c. Borders of woods. Aug. paniculatum, L. Dry woods. Aug.

Krigia, Schreber. Virginica, Willd. Dry sandy pastures, &c. Middlebury, James. May-July. Prenanthes, Vaill.

altissima, L. Shady banks, &c. August, Sept. alba, L. Woods, &c. August, Sept.

ORDER LOBELIACEÆ. The Lobelia Tribe.

Lobelia, L.

Kaimii, L. Moist rocks and bogs. Brownington and Colchester, Robbins. Burlington, Carey, Macrae, Oakes. July, Aug. Claytoniana, Michx. L. pallida, Muhl. Moist meadows. June. Cardinalis, L. Cardinal Flores. Wet places. August, Sept.

inflata, L. Indian Tobacco. Fields, road-sides, &c. Aug.

ORDER CAMPANULACE E. The Bell Flower Tribe,

Campanula, L. Bell Flower.
rotundifolia, L. Hard-bell. Rocky banks, &c. June, July.
amplexicaulis, Michx. C. perfoliata, L. Dry ledges, &c. Middlebury, James.
Fairhaven, Choulter, June, July.

Fairhaven, Choulter, June, July.

ORDER ERICACEÆ. The Heath Tribe. Andromeda, L.

polifolia, L. Sphagnous bogs, especially on the edges of ponds. May, June. paniculata, L. Pepper bush. Swamps, &c. Pownal, Robbins. Bellows Falls, Carcy. Ludlow, Washburn. June, July.

Arbutus, L.

Uva-ursi, L. Bear berry. Rocky hills, &c. April, May. Gaultheria, L.

procumbens, L. Partridge Berry. Dry woods. June, July. Rhododendron, L. Rosebay.

nudiflorum, Torr. Azalea nudiflora, L. Wild Honeysuckle. Swamps and moist woods. Middlebury, James. Pownal, Oakes. Fairhaven and Georgia, Robbins. Bellows Falls, Carey. Ludlow, Washburn. June.

viscosum, Torrey. Azaloa viscosa, L. Swamps. Middlebury, James. July. Canadense, Torrey. Rhodora Cara, L. Bogs, &c. Brattleboro', Robbins. Guildhall, Carey. May, June.

Kalmia, L. latifolia, L. Calico bush. High Laurel. Rocky hills, &c. Rockingham, Carey. June, July. angustifolia, L. Sheep Laurel. Low Laurel. Moist places. June, July.

glauca, Ait. Sphagnous bogs. May, June. Epigæa, L. repens, L. Ground Laurel. Sandy woods and on mountains. April, May.

latifolium, L. Labrador Tea. Bogs. On the summits of Camel's Hump and

Mansfield mountains, Robbins and Tuckerman. May, June. Vaccinium, L. frondosum, L. Dangleberry, Woods. Middlebury, James. June. "Huckleberry," or Black Whertleberry. Dry woods, &c. May resinosum, Ait.

June. corymbosum, L. High Blueberry. Swamps, &c. May, June. Pennsylvanicum, Lam. V. virgatum, Ait. Big. Low Blueberry. Dry woods.

Essex, Robbins. May, June. tenellum, Ait. Big. Love Blueberry. Dry woods, pastures, &c. On the summits of Camels Hump and Mansfield mountains, Robbins, Macrae, and Tuckerman. May, June.

Canadense, Richardson. Low Blueberry. Pastures, swamps, &c. Bellows Falls, Carey. Fairhaven, Oaks. May, June. uliginosum, L. On the summits of Mansfield and Camel's Hump mountains.

augmosses, L. On the sumines of measured and councils runing mountains.

Robbins, Tuckerman, and Macrae. June.

Vitis Idea, L. Concervy. With the preceding, R., T. and M. June, July.

macrocarpon, Ait. Common Camberry. Bogs, &c. June.

ozycoccus, L. Small Cranberry. Bogs. On the summit of Mansfield mountain,

Robbins. June, July. Lasierpa, Torr.

hispidula, Torr. Gaultheria serpyllifolia, Pursh. Old pine woods and swamps. May, June.

Pyrola, L. Winter green.

rotundifolia, L. Woods. July. chlorantha, Swartz. P. asarifolia, Torrey. Not of Michx. Old pine woods,

chloranta, Swatte. It assirptina, torrey. and of buena. On pine woods, dec. June, July.

diliptica, Nutt. Dry woods. July.

secanda, L. Old Fine woods, doc. June, July.

secanda, L. Old Fine woods, dec.

Burington and High Bridge, Macrae. In Charleston, with calypso borealis, Carey. July.
umbellata, L. Pipsixswa. Dry woods. July.
maculata, L. Dry woods. Middlebury, James. July.

Monotropa, L. uniflora, L. Indian Pipe. Woods. July.

Hypopithys, Dillen. Pine sap.

lanuginosa, Nutt. Monotropa lanuginosa, Michx. Woods. July, Aug. Pterospora, Nutt.

andromedea, Nutt. Dry rocky pine woods, near High Bridge, Colchester,
Robbins, and Burlington, Oakes. Shady rich soil on the
rocks of Sharpshin Point, Burlington, Macrae. July.

ORDER AQUIFOLIACE E. The Holly Tribe.

Nemopanthes, Raf.

Canadensis, Raf. Rez Canadensis, Michx. Swamps, &c. May. Prinos, L.

verticillatus, L. Black Alder. Winter Berry. Swamps. Middlebury, James. July. ORDER OLEACEÆ. The Olive Tribe.

Fraxinus, L. Ash.

sambucifolia, Lam. Black Ash. Moist woods, Middlebury, James. Lyndon. Samuracyona, Lani. Base Ass. Moss. Woods, Mindenbury, James. Lyndon, Carey. In Vermont, Twelerman. May. Oscillation, Carey in Vermont, Twelerman. May. Oscillation, Carey In Vermont, Minks I. White Ask. Woods, May. Pubesseens, Walter. F. tomendess, Michx. F. Red Ask. Woods, &c. In Castleton, Chandler. In Burlington, and in Grand Isle, Robbins. May.

ORDER APOCYNACE E. The Dog's-bane Tribe.

Apocynum, L. Dog's-bone.
androsaemifolium, L. Borders of woods, by fences, &c. June, July. hypericifolium, Ait? Pursh. Gravelly banks of ponds and rivers. June, July, ORDER ASCLEPIADACEÆ. The Milkweed Tribe,

Asclepias, L.

lepins, L. Milhweed. Along fences, &c. July. Sprince, L. Common Milkweed. Along fences, &c. July. phylolaccoides, Pursh. Woods, &c. July. incernate, L. Low grounds. July, August. obtusifolia, Michx. Dry sandy soll. July. quadrifolia, Jacq. Rocky woods. June.

tuberosa, L. Picurisy-Root. Sandy fields, &c. Pownal, Robbins. Bellows
Falls, Carey. July, August.

debilis, Michx. Shady dell near Burlington, Macrae. July.

### ORDER GENTIANACE E. The Gentian Tribe.

Gentiana, L. Gentian.
saponaria, L. Soap-wort Gentian. Moist thickets, &c. August, Sept.

quinqueflora, L. Woods. Castleton, Reed. Pownel, Robbins. Rockingham, Carey. August.

crinita, Freel. Wet meadows. Sept., Oct.

Centaurella, Michx. Virginica. Sagina Virginica, L. Centaurella paniculata, Michx. C. autumnalis, Pursh. Swamps, &c. Rockingham, Carey. August, Sept. Menyanthes, L.

trifoliata, L. Buckbean. Bogs, &c. Burlington and Georgia, Robbins. Derby, Carey. Colchester, Macrae. May, June.

### ORDER CONVOLVULACEE. The Bindwood Tribe.

Convolvulus, L. Bind weed. sepium, L. Moist borders of thickets, &c. July. spithameus, L. Dry sandy plains. July.

Cuscuta, L. Dodder. Americana, L. Low grounds. August.

ORDER BORAGINACEÆ.

Lithospermun, L. Gromwell.

§ officinale, L. Dry pastures, &c. Sudbury and Benson, Chandler. Middlebury, St. Albans, and South Hero, Robbins. Burlington, Macree, Oakes. June, July.

§ arvense, L. Corn Gromwell. Old wheat fields, &c. May. Lycopsis, L

§ arcensis, L. Road sides, &c., in dry soil. Pownal, Road. Echinospermum, Lehm.

§ Lappula, Lehm. Myosotis Lappula, L. Road sides, &c. July, Aug. Virgunianum, Lehm. Borders of thickets, road sides, &c. Bellows Falls, Carey. July.

Cynoglossum, L. Hound's Tongue. § officinale, L. Foad sides, &c. May, June. Virginianum, L. Woods. Rare. June.

## ORDER HYDROPHYLLACE ...

Hydrophyllum, L. Woods. June. Virginianum, L. Canadense, L. Woods. At the base of Mansfield mountain, and frequent in the south west of Vermont, Robbins. June.

### ORDER LABIATE. The Mint Tribe.

Lycopus, L. Water Horehound. sinuatus, Ell. L. Europæus, Pursh., not of Linn. Low grounds. Aug. Virginicus, L. Low grounds. Aug.

Winginears, L. Don gloudness: Neg.
Mentha, L. Mint.
§ Piperito, L. Peppermint. Ludlow, Washburn.
borealis, Michx.? Tor, Manual, Bigel. Wet grounds. Aug.
Canadensis, L.? Torrey, Manual. Banks of rivers, &c. On the Hoosic, at

Nonarda, L. Horzenini. Moist meadows, about springs, &c. July, Aug. Monarda, L. Horzenini. Moist meadows, about springs, &c. July, Aug. Monarda, L. Horzenini. Michael Monarda, Ait. Dry rocky woods. At

Middlebury, James. July, Aug. Blephilia, Raf.

hirsuta, Raf. Monarda hirsuta, Pursh. In Castleton, Branch. In a wet meadow, Craftsbury, Robbins. In moist woods, Chester, Oakes. July, August.

Pycnanthemum, Mickr. incanum, Michx. Mountain Mint. Rocky woods. Cavendish, Macrae. Aug. lanccolatum, Pursh. Borders of thickets, &c. Pownal, Robbins. Bellows Falls, Carey. July, Aug.

muticum, Pursh. Pastures, &c. Pownal, Robbins. July, Aug.

Collinsonia, L. Canadensis, L. Horse-weed. Shady banks, &c. Middlebury, James. Arlington, Robbins. July, Aug.

Hedeoma, Pers. pulcgioides, Pers. Penny-royal. Pastures, &c. Middlebury, James. Bellows Falls, Carey.

Melissa, L. Balm. § Clinopodium, Benth. Clinopodium vulgare, L. Rocky banks. July.

Prunella, L. vulgaris, L. Self Heal. Pastures, &c. June-Sept.

Scutellaria, L. Scullcap.

lateriflora, L. Common Scullcap. Low grounds. Aug. galericulata, L. Moist places. Aug. parcula, Michx. S. ambigua, Nutt. Sharpshin Point, Burlington, Macrae:

July. Lophanthus, Benth.

nepetoides, Benth. Hyssopus nepetoides, L. Thickets and along fences. Middlebury, James. Rutland, Branch. Pownal, Bennington, and Arlington, Robbins. July, Aug.

Nepeta, L. § Cataria, L. Catnep. Roadsides, &c. July, Aug. § Glechoma, Benth, Glechoma hederacea, L. Ground Ivy. Gill. On cultivated grounds, &c. May, June.

Leonurus, L. § Cardiaca, L. Motherwort. Rondsides, &c. July, Aug.

Stachys, L. Hedge Nettle.
aspera, Michx. Old fields, &c. Grand Isle and South Hero, Robbins. Burlington, Macrae and Tuckerman. July Aug.

Galeopsis, L. Hemp Nettle

§ Tetrahit, L. Roadsides, &c. July, Aug. § Ladanum, L. Waste places, &c. Bellows Falls, Carey. July. Teucrium, L. Germander.

Canadense, L. Low grounds. South Hero, Robbins. Bellows Falls, Carey. Red Rocks, Burlington, Macrae. July, Aug.

ORDER SOLANACEÆ. The Night Shade Tribe.

Night Shade. § Dulcamara, L. Bitter-sweet. Roadsides, &c. July, Aug. § nigrum, L. Cultivated grounds. July, Aug.

Physalis, L. Ground Cherry. viscosa, L. Dry fields, &c. Pownal, Robbins. June, July.

Datura, L. § Stramonium, L. Thorn Apple. Waste grounds July-Sept.

Hyoscyamus, L. Henbane. § niger, L. Roadsides, &c. Panton, Burge. Mount Independence, Dr. Hill. June, July.

ORDER SCROPHULARIACEÆ. The Figuret Tribe.

Verbascum, L. Mullein.

& Thapsus, L. Common Mullein. Old fields, &c. July, Aug.

Veronica, L. Speedwell. § serpyllifolia, L. Meadows and Pastures. May, June.

scutellata, L. Ditches, &c. June.

Beccolunga, L. Brooklime. In grounds wet by springs, &c. June.

Anagallis, L. Water Speedwell. Ditches, &c. Middlebury, Burge. June, July.

peregrina, L. Cultivated grounds. Middlebury, James. May, June. & arvensis, L. Old fields, &c. May, June.

Virginica, L. Moist bank on Mr. U. H. Penniman's grounds, with Trillium grandiflorum, Colchester, Oakes. Aug.

§ vulgaris, Monch. Antirrhinum Linaria, L. Roadsides, &c. Manchester, Robbins. July-Sept.

Canadensis, Spreng. Moist bare soils. Bellows Falls, Carey. July, Aug. Scrophularia, L. Figwort. Marilandica, L. Along fences, &c. Middlebury, James. Colchester, Robbins. July, Aug.

Mimulus, L. Monkey Flower. ringens, L. Wet grounds. Aug. Gratiola, L. Hedge Hyssop.

aurea, Muhl. Borders of Ponds, &c. Middlebury, James. August, Sept. Lindernia, L. Pyzidaria, L.

var. dilatata. L. dilatata, Muhl. Moist open grounds. Middlebury, James.
Brattleboro' and West Haven, Robbins. var. attenuata, L. attenuata, Muhl. Craftsbury and Cambridge, Robbins. July, Aug.

Chelone, L. Snake-head.
glabra, L. Borders of swamps, &c. August, Sept. Pentstemon, L'Her.

pubescens, Ait. Rocky hills, &c. Middlebury, James. Castleton, Chandler. Benson, Prof. Woodward. Pownal, Robbins. Gerardia, L.

tenuifolia, Vahl. Dry soil. Pownal and Brattleboro', Robbins. Bellows Falls, Carey. Aug.
flava, L. Dry woods. Near Bellows Falls, Carey. Aug.

pedicularia, L. Dry woods, &c. Pownal, Robbins. Bellows Falls, Carey. August.

quercifolia, Pursh. Woods. Castleton and Pownal, Robbins.

Pedicularis, L. Lousenort. Canadensis, L. Borders of woods, &c. May, June.

pallida, Kunth. Bartsia pallida, L. On the north side of Mansfield mountain, near the summit, Tuckerman and Macrae. July.

Melampyrum, L. Can Wheat, Americanum, Michx. Woods. June—Aug.

ORDER OROBANCHACE E. The Broom-Rape Tribe.

Orobanche, L. Broom-rape. Americana, L. Woods. On White Creek, Chandler, Sharpshin Point, Burlington, Macrae.

uniflora, L. Woods. June. Epiphegus, Nutt. Beech Drops.

Virginiana. Orobanche Virginiana, L. Epiphegus Americanus, Nutt. Woods, under beech trees. Sept.

ORDER VERBENACEÆ. The Vervain Tribe.

Verbena, L. Vervain.

hastata, L. Low grounds, roadsides, &c. July, Aug. urticifolia, L. Roadsides, &c. July.

Phryma, L. leptostachya, L. Woods and shady banks. Middlebury, James South Hero and Arlington, Robbins. Bellows Falls, Carey. Burlington, Oakes. July.

### ORDER ACANTHACEÆ

Justicia, L. Americana, Vahl. J. pedunculosa, Michx. In water. "At Ferrisburgh." Dr. Paddock's herbarium in the Museum of the University at Burlington, the specimen thus ticketed, seen by Dr.Robbins.

### ORDER LENTIBULACEÆ.

Utricularia, L. Bladder-wort.
vulgaris, L. In ditches, ponds, &c. Aug.
cornuta, Michx. Bogs, &c. Vermont, Carey. July, Aug.

ORDER PRIMULACE To. The Primrose Tribe. Trientalis, L.

Americana, Pursh. Wet woods and swamps. May, June.

Lysimachia, L. Lowestrije, thyrsifora, L. Swamps. Castleton, Chandler. Burlington, Macrae. stricta, Ait. Low grounds, &c. July. quadrifolis, L. Woods. June, July. ciltata, L. Borders of woods, &c. July.

hybrida, Michx. Wet grounds. Ferrisburgh and South Hero, Robbins. July. Samolus, L. Water Pimpernel.

Valerandi, L. Borders of rivers. Middlebury, James. July-Sept. ORDER PLANTAGINE E. The Plantain Tribe.

Plantago, L. Plantain.

§ major, L. Common Plantain. About houses, fields, &c. June-Sept.

ORDER AMARANTHACEÆ. The Amaranth Tvibe. Amaranthus, L

§ hybridus, L. Gardens, &c. Aug. Blitum ? L. Cultivated and waste grounds, Pownal, Robbins. Aug-ORDER CHENOPODIACEE. The Goosefoot Tribe.

Chenopodium, L. Goosefoot.

§ album, L. Gardens, fields, &c. July, August. § Botrys, L. Jerusalem Oak. Sandy banks of Lake Champlain, &c. Alburgh, Robbins. Middlebury, Jomes. Burlington, Oakes. Bellows Falls, Carey. July, August.

§ hybridum, L. Waste grounds. August. § rubrum, L. Cultivated grounds. Bennington, Robbins. August

Blitum, L. & capitatum, L. Strawberry Blite. Road sides, &c. Hubbardton, Branch. Newport, Robbins. North Troy, Carey. June.

ORDER PHYTOLACE E.

Phytolacca, L. decandra, L. Poke. Waste places, &c. July-Oct.

ORDER POLYGONACE E. The Buckwheat Tribe.

Polygonum, L. Knotweed

aviculare, L. Knot-grass. About houses, &c. June-Oct. Virginianum, L. Rocky woods. Arlington and Castleton, Robbins. Waterbury,

Macrae. July, August.

Hydropiper, L. Water Pepper. Low grounds, ditches, &c. August.

mite, Pers. Wet places. West Haven, Robbins. Castleton, Chandler. July, August.

§ Persicaria, L. Gardens, &c. July-Sept. amphibium, L. zar. natans, Michx. Floating in water.

var. emersum, Michx. Margin of ponds, &c. Aug., Sept. Pennsylvanicum, L. Low grounds, &c. July, August.

Pennsyleenneum, L. Low grounds, &c. July, angust. conglitatum, L. Swatch-gress. Low grounds. August, Sept. arifolium, L. Swamps, &c. August, Sept. sendens, J. Fields, &c. July, August. cllinoids, Michx. Woods, &c. July, August. concolculus, L. Rood sides. July, August.

§ Fagopyrum, L. Buckwheat. Old fields, &c. July, August. Rumex, L. Dock

S, crispus, L. Curled Dock. Cultivated grounds. July, August, § obtusifolius, L. Cultivated grounds. June, July. recriticillatus, L. In water. July. § Actiosella, L. Sleep Sowrd. Pastures and cultivated grounds. May—July.

ORDER LAURACEÆ. The Cinnamon Tribe.

Laurus, L. sassafras, L. Common Sassafras. Woods, &c. Pownal, Robbins. May. Benzoin, L. Fever Busi. Swamps, &c. Bellows Falls, Carey. May.

ORDER ELEAGNACEÆ. The Olcaster Tribe. Shepherdia, Nutt.

Canadensis, Nutt. Rocky banks of Lake Champlain, &c. May. ORDER THYMELACER. The Mezercon Tribe,

Direa, L. Leather-wood. palustris, L. Moist woods. April, May.

ORDER SANTALACEÆ. The Sanders-wood Tribe.

Nyssa, L. multiflora, Walt. N. sylvatica, Michx. f. N. villosa, Willd. Tupelo, or Sour Gum. Woods and swamps. Craftsbury, Robbins. June.

Comandra, Nutt. umbellata, Nutt. Thesium umb., L. Borders of woods, &c. June. ORDER ARISTOLOCHIACEÆ. The Birthwort Tribe.

Asarum, Tourn.

Canadense, L. Wild Ginger. Rocky woods. May. ORDER EMPETRACEÆ. The Crowberry Tribe.

Empetrum, L. nigrum, L. Croscherry. Summit of the Mansfield and Camel's Hump Mountains, Robbins, Tuckerman and Macrae. June, July, ORDER EUPHORBIACE E. The Spurge Tribe.

Acalypha, L. Three-seeded Mercury.
Virginica, L. Fields and road sides. Middlebury, James.

Europusca, L. Spurge.

Spurge.

Hilostopia, L. Vspurge.

Hilostopia, L. E. obtaseta Pursh. Road sides, &c. Benson, Chaudler.

platuphylia, L. E. obtaseta Pursh. Road sides, &c. Benson, Chaudler.

Vergennes, South Hero, and Grand Isle, Robbins, Aug.

maculata, L. Sandy fields, &c. July-Sept.
hypericifolia, L. Dry sandy fields, &c. Burlington, Tuckerman. Aug., Sept. ORDER URTICACE.E. The Nettle Tribe.

Urtica, Tourn. Nettle. pumila, L. Shady places. July, August. § dioica, L. Road sides, &c. July.

Canadensis, L. Shady, moist woods, &c. July, August.
Parietaria, Tourn. Politicory.
Pennsylvanica, Muhl. Shady rocks. Fair Haven, Robbins. Extremity of Sharpshin Point, Burlington, Macrae. July.

Bæhmeria, Willd. cylindrica, Willd. Swamps, &c. Bellows Falls, Carey. July, Aug.

Cannabis, Town. Hemp. § sativa, L. Waste places. June, July.

Humulus, L. Hop. § Lupulus, L. Borders of thickets, &c. Middlebury, Burge. Castleton, Robbins. August.

Morus, Tourn. Mulberry.
rubra, L. Red Mulberry. Banks of rivers, woods, &c. Pownal, Oakes. May.

ORDER AMENTACEÆ.

SUB-ORDER CUPULIFERE.

Carpinus, L. Hornbeam.
Americana, Michx. Woods. May.
Ostrya, Sop. Hop Hornbeam.
Virginica, Willd. Carpinus colrya, Michx. f. t. Iron-wood. Woods. May.

Corvlus, Tourn, Hazel Nut.

Americana, Walt. American Hazel Nut. Thickets, &c. April. rostrata, Ait. Beaked Hazel Nut. Shady banks, &c. April. Fagus, Tourn. Beech. sylvestris, Michx. and Michx. f. t. White Beech. Woods. May.

ferruginea, Ait? Michx. f. t. Red Beech. Woods, May.

Castanea, Gart. Chestnut. vesca, Gært. var. Americana, Michx. Chestnut. Woods. July. Quercus, L. Oak

ercus, L. Das.

Intervis, Bartum. Bisek och. Woods. May.

rubra, L. Red och. Woods. May.

tilecphia, Wang Q. Bessieren, Michax. Scrob Oak. Barren plains, &c.

macrocarpa, Michax.

Moods, &c. Burlington, Colchester,

S. Allow, Fare J. L.

Woods, &c. Burlington, Colchester,

S. Allow, Fare J. L.

Woods, &c. Stronger, Colchester,

S. Allow, Fare J. L.

Woods, &c. Burlington, Colchester,

St. Albans, Grand Isle, South Hero, Shoreham, West Haven and Bennington, Robbins, This is perhaps Q. olivaformis of Dr. James' catalogue. White Oak. Woods. May, June. alba, L.

bicolor, Willd. Q. Prinos discolor, Michx. fil. Swamp White Oak. Wet woods. May. montana, Willd. Q. Prinos monticula, Michx. f. t. Rock Chestnut Oak. Rocky

woods. Bennington, Robbins. May. chinquapin, Pursh. Dwarf Chestnut Oak. Dry hills, &c. Pownal, Robbins. May.

coccinea, Wangenheim. Scarlet Oak. Woods. May.

SUB-ORDER BETULEE. The Birch Tribe. Betula, Tourn. Birch.

populifolia, Ait. Small White Birch. About barren fields, woods, &c. May. papyracea, Ait. Large White Birch. Canoe Birch. Woods. May. lenta, L. Black Birch. Secot Birch. Cherry Birch. Woods. May excelsa, Ait. B. lutea, Michx. f. Yellow Birch. Woods. May.

Alnus, Willd. Alder. serrulata, Willd.

as, rusta, Willd. Common Alder. Swamps, &c. April. glauca, Michx. f. sylv. t. Swamps, &c. April. glauca, Michx. f. sylv. t. Swamps, &c. April. errispa, Hook. Batula Almus crisps, Ait. Near the summit of Camel's Hump and Mansfield mountains, Robbins. June.

SUB-ORDER SALICINEE. The Willow Tribe.

Salix, Town. Willow. candida, Willd. Pursh. In a sphagnous swamp on the borders of Lake Bombezin, Hubbardton, Robbins. April. Mahlenbergiana, Willd. Dry woods, &c. Bellows Falls, Carey. April, May. pedicellaris, Pursh. Bogs and swamps. Burlington, Robbins. Macrae. May. conifera, Wang. Wet thickets, &c. April.
rostrata, Richardson. Borders of thickets, &c. Bellows Falls, Casey. April,

May. nigra, Marshall. Banks of streams, &c. May-tucida, Muhl. Borders of swamps, &c. May.

cordata, Muhl. Low wet grounds. April, May. Grinda, Muhl. Low wet grounds, &c. Bellows Falls, Carey. April, May. Grized, Willd. Borders of swamps, &c. April, May. & vitellina, L. Road sides, &c. May.

§ Wittener, L. Rossi suces, exc., 2013.

General, Furth, On the summit of Mansfield Mountain, Robbins. June.

Fopulus, Therrie. According to Michaux's Sylva.)

Fopulus, Therrie. According to Michaux's Sylva.)

Following, Micha. Micha. Sylva. Banken Popilar.

Formation, Micha. Micha. Sylva. Banken Popilar.

Conditions, Ait. Micha. I. Sylva. I Banken Popilar.

Gendicions, Ait. Micha. I. Sylva. I Banken Banken Popilar.

South Hero. Grand Isle, Cambridge, Jericho, &c., Robbins. Burlington,

Macrae, Ookes. April.

Canadensis, Michx. f. Sylv. t. Cotton Wood. Catton Poplar. Banks of rivers, &c. On the Hoosic, Pownal, Ookes.

monilifera, Ait. Michx. f. Sylv. t. Vermont Poplar. Banks of rivers, lakes, &c. In Orwell, Brancs, Chandler. In Pownal, Brattleboro.

North Hero, South Hero, Alburgh, Johnson, and Hydenark

Robbins. Burlington, Oakes. April. tremuloides, Mich. Michx. f. Sylv. t. American Aspen. Woods. April. grandidentata Michx, Michx, f. Sylv. t. Large Asnen. Woods, April May. SHR.ORDER MYRICES The Gale Tools

Comptonia. Ronly

asplenifolia, Ait. Supert Fern. Dry hills and plains. April May SUE-ORDER PLATANEE. The Plane Tribe.

Platanus, I. Plane Thee

occidentatis, L. Button Wood, Sucamore. Banks of rivers, &c. May. ORDER ULMACE The Plan Tribe Ulmus, L. Elm.

Americana, L. Common Elm. Woods, banks of rivers, &c. April. fulva, Michx. Slippery Elm. Woods, banks of rivers, &c. April. Justa, Stienx. Suppers Edm. Woods, banks of rivers, &c. April.
racemasa, Thomas in Sill. Journal, 1829. Northern Cork Elm. Moist woods &c. Bennington and Pownal, Robbins.

Celtis, L. Hackberry occidentalis, L. Hoop Ash. Woods, &c. Burlington, Robbins, May. ORDER JUGLANDACEE. The Walnut Tribe.

Inclane I. Walnut Carya, Nuttall. Hickory. Juglans, L.

alba, Nutt. Juglans alba, L. J. squamasa, Michx. f. not J. alba, Willd. Bigel. alba, Nutt. Juglams olies, L. J. sporamsos, Michx. f. not J. alba, Willd, Bigel. Sell-Jark or Sing-Jark Hicksry. Woods. May, June. Porcina, Nutt. J. porcina, Michx. f. Sylv. t. J. glabra, Mull., Bigelow. Pig Nat. Woods. Middlebury, James. May, June. amara, Nutt. J. amara, Michx. f. Sylv. t. Bitter Pig Yut. Woods. Colchester, Robbins. Burlington, Carey, Macrae. May, June.

#### CLASS II. GYMNOSPEDMS ORDER CONIFERE. The Fir Tribe

Pinus, L. Pine resinosa, Ait. P. rubra, Miehx. f. Sylv. t. Red Pine. "Norway Pine," a bad name, as it is not found in Norway. Dry barren woods. June. rigida. Pitch Pine. Woods, in poor soil. June.

rīgoda. Pidzh Pene. Woods, in poor soil. June.
Strobus, L. Wikir Pine. Woods and swamps. June.
nigra, Ait. Black or Dendle Spruce. Woods and swamps. May, June.
alika, Ait. Pidze or Single Spruce. Woods and swamps. May, June.
belavmen, L. Belane Pir. Silzer Pir. Mountain woods, &c. June.
ver. Frastr. P. Pizzer. Park. Next the summits of Mansfield and

Camel's Hump Mountains, Robbins, Tuckerman, and Macrae. Essex, Macrae

Canadensis, L. Hembed: Spruce. Rocky woods, &c May, June.
pendula, Ait. Lariz Americana, Michx. American Larch. Hackmatack. Tom. arack. Woods and swamps. May, June. Thuya, Tourn. Arbor Vitae.

occidentalis, L. American Arbor Vitae. "White Cedar." In swamps and rocky woods. May,

Juniperus, L. Juniper.
Virginisma, L. Educario, J. prostrata, James? Dry rocky woods, &c. May.
communits, L. Common Juniper. Dry rocky pastures, &c. May. Taxus, Tourn.

Canadensis, Willd. American Yew. Ground Hemlock, Swamps, &c. May. ORDER CALLITRICHACEÆ.

Callitriche, L. vernalis, L. C. autumnalis, L. C. terrestris, Raf. In water, and on moist soil on the margins of ponds, &c. May-Sept.

## CLASS III. ENDOGENS OR MONOCOTYLEDONS.

ORDER IRIDACEÆ. The Iris Taibe. Sisyrinchium, L. Blue-eyed Grass.

anceps, Cavan. Meadows. Burlington, Macrae.

var. mucronatum. Dry soil. Burlington, Macrae. Bellows Falls, Carey June.

Iris. L.

versicolor, L. Blue Flag. Wet meadows, &c. July.

ORDER HYDROCHARACE E. The Frog-bit Tribe. Udora, Nutt.

Canadensis, Nutt. Elodea Canadensis, Michaux. Serpicula occidentalis, Pursh.
In water. Middlebury, James. At the mouths of Winooski river and Otter Creek, and in lake Memphremagog, Robbins. August.

Valisneria, Micheli.

spiralis, L. V. Americana, Michx. In lakes and slow flowing water. Middlebury, James. At the mouth of Winooski river, in Castleton river, in lake Champlain near the mouth of the Lamoille, in Shoreham, and in the Connecticut at Brattleboro', Robbins, August, Sept.

## ORDER ORCHIDACEA. The Orchis Tribe.

Orchis, L.

108 Lt. Orchis.
Sectilis, L. Woods, May, June.
Sectilis, L. Woods, May, June.
Sectilis, Sectilis, Wild.
Sectilis, Sectilis, Wild.
Section of the Section of

blephariglottis, Willd. "Sphagnous margin of a closely shaded pond in North Troy, Carey. Aug.

hyperborea, L. H. Huronensis, Spreng. Swamps, &c. Base of Mansfield mountain, and Burlington, Macrae. July. O. dilatata, Pursh. Swamps, &c. July. var. dilatata.

psycodes, L. not of Bigelow, &c. O. fambriala, Ait. Wet meadows, &c. July, grandiflora, Bigelow Wet meadows, &c. July,
Lacera, Minch. O. pspoofes, Willd. Big. &c., not of L. Bogs, &c. Middlebury,
James. July,

ciliaris, L. Swamps, &c. Middlebury, James. Aug. obtusata, Pursh. High mountains and sphagnous swamps at the North. Charleston, with the Calypso, Carey. Brownington, Robbins. July.

viridis, Swartz. O. bracteata, Muhl. Woods. May, June. tridentata, Muhl. On the east side of Mansfield mountain, Macrae. July,

flava, L. Habenaria herbiola, Brown. Burlington, Macrae. Microstylis, Nutt. Malaxis, Swartz.
ophioglossoides, Nutt. Woods. July, August.

opinophyllos, Lindl. Morachypoda, Gray. Ophrys monophyllos, L. In Vermont, probably near Castleton, Chandler. July. Liparis, Richard. Malaxis, Swartz.

MB, ruchard. Bills near Bellows Falls, Carey. June, July. Laselli, Richard. Malaxis lorreana, Barton. Boggy soil, &c. July. Laselii, Richard.

Aplectrum, Nuttall.

hyemale, Nutt.

Cymbidium hyemale, Muhl. Woods. Middlebury, James. Near Castleton, Chandler.

Corallorhiza, Haller.
innata, R. Brown. C. rerne, Nutt. Sphagnous swamps. May, June.
multiflore, Nutt. Fine woods, &c. August, Sept.
odontorhiza, Nutt. Woods. Bellows Falls, Carey. Sept. Arethusa, L.

bulbosa, L. Bogs. Hubbardton, Robbins. Near Burlington, Macrac.

Pogonia, Juss. ophioglossoides, R. Brown. Bogs. Near Burlington, Robbins, Macrae. verticillata, Nutt. Woods. Near High Bridge, Colchester, Robbins, Oakes. May, June. Triphora, Nuttall.

pendula, Nutt. In a dry wood of beech, birch, &c., on a hill south of Fair Haven village, Chandler. August.

Calopogon, R. Brown.
pulchellus, R. Brown. Bogs. July.

Neottia, Swartz. Spiranthes, Richard.

cernua, Richard. Moist grounds, &c. August, Sept. gracilis, Hook. N. gracius, Big. Dry woods. Colchester, Robbins. Burlington,

Macrae. July. astinalis, Rich. Meotia estivalis, Lam. N. cernua, var. latifolia, Torrey. Moist woods, banks of rivers, &c. Burlington, Macrae.

Bellows Falls, Carey. June. Goodyera, R. Brown. pubescens, R. Brown. Woods. July, August. repens, R. Brown. Old woods. July.

Listera, R. Brown.

cordata, R. Brown. On high mountains and in sphagnous swamps. Fairhaven, cordata, N. Drown. On nigh mountains and in spinsgnous swamps. Fairnaven, Chandler. Near the summit of Mansfield Mountain and Camel's Hump, Rabbins, Tuckerman and Macrae. North Troy, Cary, June, July. convalurioides, Nutt. In Charleston, with Calypso borealis, Carey.

Calypso, Salisbury.

Calypso, Salisbury. In a dark bulbosa. Cypripedium bulbosam, L. Calypso borealis, Salisbury. In a dark and Morgan, the entrance to which is opposite the house of

Mr. Charles Cummings. Carey. Cypripedium, L. Lady's Stipper pubescens, Willd. C. pareiflorum, Ait. Yellow Lady's Slipper. Dry woods and in swamps. May, June.

acaule, Ait. Red Lady's-Slipper. Dry woods, and also in swamps. May, June. White Lady's Slipper. Swamps. June, July. spectabile, Swartz. arietinum, Ait. Dry woods and sphagnous swamps. In the cedar swamp at Fair Haven, Chandler, Robbins. In Grand Isle, and in dry woods near High Bridge, Colchester, Robbins. Burlington, Carey, Macrae, and Oakes.

ORDER PONTEDERIACEÆ

Pontederia, L. cordata, L. Pickerel-weed. In water. July, August.

Schollera, Schreber graminifolia, Muhl. Middlebury, James. In Otter Creek near its mouth. Robbins. In Castleton River, Chandler. July, August.

ORDER MELANTHACEÆ. The Colchicum Tribe.

Veratrum, Tourn. White Hellebore viride, Ait. Swamps, &c. June.

Trillium, L.

ORDER TRILLIACEE.

crythrocarpum, Miehx. T. pictum, Pursh. Woods and swamps. May. grandiflorum, Salis. Woods, shady banks and swamps in the west of Vermont,

from Pownal to Alburgh, Robbins. May, June.

cernuum, L. Woods. Castleton, Branch, Robbins. May.

Medeola, L. Indian Causumber.

Virginica, L. Woods, &c. June, July.

ORDER LILIACEÆ. The Lily Tribe. Lilium, L. Lily.

Philadelphicum, L. Wild Red Lily. Pastures, &c. July. Canadense, L. Wild Yellow Lely. Moist meadows. July.

Erythronium, L. Dog's-tooth Violet Americanum, Smith. Moist grounds, &c. May, June.

Allium, L Onion and Garlie.

tricoccum, Ait. Wild Onion or Leek. Woods. July. Convallaria, L. L'ily of the Valley. Solomou's Scal-pubescens, Willd. Woods. May, June.

bijolia, L. Woods. May. stellata, L. Moist meadows and banks. May, June.

acadata, L. Sphignous swamps and bogs. May, June. trifolia, L. Sphignous swamps and bogs. May, June. racomeso, L. Rocky woods, &c. June. borealis, Torn. Dracome borealis, Air, not C. sumbellulata, Michx. Woods. June.

Streptopus, Michz. roseus, Michx. Woods, especially on mountains. May, June.

amplantifolius, var. Americanus, Gray. Undaria amplentifolius, L. S. distortus,
Michx. Mountain woods. On the sides of Mansheld and Camel's Hump, Robbins, Macrae, and Tuckerman. Newport and Danville, Carey. June, July.

Uvularia, L. Bellucort. grandiflora, Smith. Woods. May. sessilifolia, L. Woods. May.

ORDER ALISMACE.E. The Water Plantain Tribe.

Sagittaria, L. Arrow-head.

sagittifolia, L. Ditches, ponds, &c. July, August. Alisma, L.

Plantago, L. Water Plantain. In water. July, August. ORDER JUNCEE, The Rush Tribe,

Luzula, DC. Juneus, L. Wood Rush.

campestris, DC. Woods, pastures, &c. 1 pilosa, Willd. Woods and swamps. May. Woods, pastures, &c. May. campestris.

pareifora. L. melanecarpo, Desv. Janess. pareifora, Retz. At the base of Mansfield Mountain, Robbins. On the Chin of Mansfield and on Camel's Hump, Mozore and Tuckerman. June, July.

Juneus, L. Rath.

glasse, L. Wet meadows, &c. June, July.

glasse, L. Wet meadows, &c. June, July.

fliformic, L. On the summits of Camel's Hump and Mansfield Mountains,

fliformic, L. Camel, July.

Lake Chemplain at Fernaburgh,

man, July.

and on the shore of Jake Chumplain at Ferrisburgh, Robbins. June, July.

Robbins. Margins of ponds, &c. Burlington, Macroc, Oakes.

Polyocias, L. Low grounds, &c. July.

Robbins, L. On the summit of Mansheld Mountain, Robbins, and of Camel's Rump, Packerson and Moron. June.

ORDER RESTIACEÆ Eriocaulon, L. Pipewort.

seplangulare, With. E. pellucidum, Michx. Borders of ponds, generally in the water. Seymout's pond, Morgan, and Minaud's pond, Rockingham, Carey. August, Sept.

ORDER SMILACEÆ. The Smilaz Tribe. Smilax, L.

rotundifolia, L. Green Briar. Woods and thickets. June, herbacea, L. S. peduncularis, Muhl. Borders of woods, &c. June. ORDER ARACE E. The Arum Tribe.

Arum, L. Dracontium, L. Dragon-root. Moist grounds. Shoreham, Robbins. May, June. triphyllum, L. Indian Turnip. Shady banks and swamps. May, June.

Peltandra, Rafinesome. Virginica, Raf. Calla Virginica, Michx. In water on the horders of ponds and rivers. Colchester pond, Robbins. June, July.

Calla, L. palustris, L. Swamps. Middlebury, James. Fair Haven and Whiting, Robbins. Bellows Falls, and Guildhall, Carey. July. Pr 1.

Symplocarpus, Salisbury. Skunk Cabbage. fatidas, Nutt. Polices fatida, L. Wet meadows and swamps. April. Acorus, L.

Calamus, L. Sweet Flag. Wet meadows, &c. June.

ORDER TYPHACEE. The Cat's-tail Tribe.

Typha, Tourn. Cat's tail. Reed Mace, latifolia, L. Ditches, pools, &c. July.

Sparganium, Tourn. Burr Reed. ramosum, L. In ditches, &c. June, July.

simplex, Hudson. S. Americanum, Nutt. Borders of streams, &c. July.

ORDER FLUVIALES.

Naias, L. Canadensis, Michx.

var. fragilis. Caulinia fragilis, Willd. Middlebury, James.
var. flexilis.
Caulinia flexilis, Willd. In water three feet deep at the
mouth of Otter Creek. Ferrisburgh, Robbins. July, Aug.

Zannichellia, Micheli. palustris, L. In shallow water, in Lake Champlain, at South Hero. Robbins.

Potamogeton, L. Pondweed. natass, L. Ponds, and slow flowing waters. July, August.

heterophyllum, Schreber. Ponds, and slow streams. August. diversifolium, Barton. Ponds, &c. In Lake Champlain at South Hero,

Robbins. July.

perfoliatum, L. Ponds, &c. August.
lucres, L. Ponds, &c. August.
compressm, L. Kivers, ponds, &c. July, August.
puciflorum, Parsh. P. grantinoum, Michx. Ponds, &c. July, August.
petitaluum, L. Ponds, &c. July.

The species of Potamogeton as above are all according to Torrey's Flora of the Northern States, vol. I, p. 196.

ORDER JUNCAGINACEÆ. The Arrow-Grass Tribe.

Scheuchzeria, L.

palustris, L. Sphagnous swamps and bogs. In Georgia, Chandler. At the southern end of Colchester Pond, Robbins. In North Troy, with Orchis blephariglottis, Carey. June.

ORDER PISTIACE. The Duckweed Tribe.

Lemna, L. Duckweed.

polyrhiza, L. Ditches, &c. minor, L. Ditches, &c. At North Hero, Robbins. trisulca, L. Ditches, ponds, &c. At North Hero, Robbins.

ORDER CYPERACEÆ. The Sedge Tribe.

Dulichium, Richard. spathaceum, Rich. Borders of ponds, &c. July, August.

Cyperus, L.

crus, L.
diandrus, Torr. var. castaneus, Torr. Margins of ponds, &c. August.
strigosus, L. Low moist grounds. August.
repens, Elliot. C. phymatodes, Muhl. Wet sandy soil. In South Hero, West
Haven, and on the banks of Otter Creek, Ferrisburgh, Robbins. August.

fliculatis, Vahl. C. marisoides, Ell. Dry sands August. inflezus, Muhl. C. marisoides, Ell. Dry sands August. inflezus, Muhl. C. marindus, Pursh. Sandy shores of rivers and lakes. Aug. Eleocharis, R. Brown. Vet places, ditches, &c. May, June. palustris, R. Brown. Wet places, ditches, &c. May, June.

obtusa, Schultes. Scirpus capitalus of American authors not of Linnæus. Ditches and margins of ponds. June, July. acicularis, R. Brown. Margins of ponds, &c. June.

tenuis, Schultes. Margins of ponds, &c. June.

Scirpus, L. Club Rush. lacustris, L. S. acutus, Muhl. Bulsush. In water on the borders of lakes, ponds, &c. July.

triqueter, L. Wet places, borders of rivers, &c. July.
atrocirens, Muhl. Moist meadows, &c. July.
forunacus, Muhl. Swampy grounds. Pownal, Robbins. August.
Erioghorum, Michx. Wet mesdows, ditches, &c. August.

Eriophorum, L. Cotton Grass.

alpinam, L. Bogs. Brownington, Robbins. Danville, Carey. May, June. vaginatum, L. Bogs. June, July.

Virginicum, L. Bogs. July, Angust.
polystachyon, L. Bogs. May, June.
angustifotium, Reichard. E. gracile, Roth. Bogs. May, June. Isolepis, R. Brown. Scirpus, L.

capillaris, Ræm. and Sch. Dry sands. Bellows Falls, Carey. August. Rhyncospora, Vahl.

glomerata. Moist pastures, &c. Bellows Falls, Carey. July, August.

Carex, Micheli. Sedge. disperma, Dewey. Sphagnous swamps.

rosea, Schk. Woods and shady banks. cephalophora, Muhl. Woods, &c.

sparganioides. Mahl. Moist shady banks, &c. stipata, Muhl. Wet meadows.

bromoides, Schk. Moist woods, &c. vulpinoidea, Michx. C. multiflora, Muhl. Moist pastures. &c

paniculata, var. teretiuscula, Wahl. Bogs. siccata, Dewey. Moist banks, &c. Burlington, Macrae.

trisperma, Dewey. Bogs and swamps.

Deweyana, Schw. Woods, &c.

tenujlora, Wahl. Cedar and other swamps. In Sålem, in a shady swamp near a small pond at the head of Lake Memphremagog, also in Burlington, Robbins. On the western side of the great

ccdar swamp at Fair Haven, Oakes.
stellulata, Good. C. scirpoides, Schk. C. sterilis, Willd. Wet meadows and swamps.

curta, Good. Swamps. scoparia, Schk. Wet meadows.

var. lagopodioides. C. lagopodioides, Willd. Wet meadows.

festucacea, Schk. Moist woods and meadows. aurea, Nutt. Moist rocky ledges, &c. Pownal, Burlington and Colchester, Robbins. Bellows Falls, Carey. saratilis, L. Summits of Mansfield and Camel's Hump mountains, Robbins,

Tuckerman and Macrae.

cespitosa, L. Wet meadows, &c. acuta, L. Wet meadows.

acuas, crinita, Lam. Wet shady banks, &c. crinita, Lam. Wet shady banks, &c. cleavelfora, Willd. Bogs, especially at the north, and on leucoglockin, Ehr. C. peweifora, Willd. Bogs, especially at the north Troy, mountains. At Colchester pond, Robbins. At North Troy, with Orchis blephariglottis, Carev.

polytrichoides, Muhl. Swamps, &c. pedunculata, Muhl. Woods, &c.

squarrosa, L. In a low wet wood on the margin of Otter Creek, Ferrisburgh, Robbins. gracillima, Schw. Wet meadows and woods. Burlington, Carey. Colchester,

Macrae.

vestita, Willd. Borders of woods, &c. Middlebury, James Pennsylvanica, Lam. C. varia and marginata, Muhl. Woods.

Emmonsii, Dewey. C. alpestris, Torr. and Schw. C. Davisii, Dewey. Emmonsii, Dewey. C. alpestres, Emmonsii, Dewey. Bellows Falls, Carey.

oligocarpa, Schk. Woods. laziflora, Lam. Woods, &c. Castleton, Robbins. granularis, Muhl. Moist shady rocks. Burlington, Oaks.

eburnea, Boott. C. alba, Dewey. Limestone rocks. On the rocks at High Bridge, Colchester, and at Grand Isle, South Hero, West Haven and Pownal, Robbins.

anceps, Muhl Woods and shady banks. plantaginea, Lam. Woods.
sylvatica, Hads. Woods, especially on mountains.

flara, L. Wet meadows, Sutton, Carey intumescens, Rudge. C. foliiculata of Schk., not of Linn. Wet woods. lupulina, Muhl. Wet meadows and woods.

tentaculata, Muhl. Wet meadows.

retrorsa, Schw. Swamps, &c. bailata, Schk. Wet meadows, &c. South Hero, Robbins.

vesicaria, L. C. ampullacea, Dewey. C. utrieniata, Boott. Wet meadows, &c. lacustris, Willd. Borders of ponds, &c. scubrata, Schw. Swamps, &c.

hustericina, Muhl, Wet meadows.

Pseudo-caperus, L. Ditches and margins of ponds.

longirostris, Torrey. Shady ledges, &c. On the sides of Camel's Hump, end at Gastleton, Rockins. Rocky banks of Saxton's river, near Bellows Falls, Cares.

Bogs, especially at the the north. limosa, L.

milincea, Muhl. Moist banks, &c.

umbellata, Schk. Rocky hills, &c. Summit of Mansfield mountain, Robbins ORDER GRAMINE E. The Grass Tribe.

( Mostly according to Torrey's Flora of the Northern States, Vol. I. )

Agrostis, L. Bent Grass. & rulgaris, Smith. Red-top. Meadows, pastures, &c. June-Aug.

alba, L. Meadows, pastures, &c. June-Aug. y abd, L. Breadows, passures, &c. June-1913. laterifore, Michx. Moist meadows, sides of hills, &c. August, Sept. sobolifera, Muhl. Rocky shady hills, &c. August, Sept. tenaiflora, Willd. Rocky shady hills, &c. July, Aog. syleutica, Torrey. Dry rocky hills, &c. August.

canina, L. var. alpina, Oakes. Agrostis rupestris, Gray in Sill. Jour., vol 42 On

the summit of Camel's Hump mountain, Robbins, Tuckerman and Macrae. July This variety is common on the White Mountains, and is connected with the common variety, which is abundant in Essex county, Massachusetts, by several intermediate forms, found at the base and on the sides of the White Mountains.

Cinna, L.

arundinacea, Willd. Wet woods, &c. August, Sept. Polypogon, Desfontaines.

racemosus, Nutt P. glomeratus, Willd. Wet meadows, &c. Aug., Sept. Brachyelytrum, P. de Beauv.
aristatum, P. de B. Muhlenbergia ereda, Roth. Woods, &c. June, July.

Alopecurus, L. Fox-tail Grass.

§ pratensis, L. Moist meadows, &c. Bellows Falls, Carey. May, June. geniculatus, L. Wet meadows, &c. June.

Phleum, L. Cat's-tail Grass. & pratense, L. Hwa's Grass, Timothy, Fields, &c. July, August.

Phalaris, L. Canary Grass. & Canariensis, L. Pastures, &c. Cavendish, Macrae. July.

Milium, L. Millet Grass. effusum, L. Woods, &c. Banks of Saxton's river, Bellows Falls, Carey. July. pangens, Torr. Dry rocky woods, &c. May.

Piptatherum, P. de Erave. nigrum, Torr. Shady ledges, &c. August. nigrum, Torr Oryzopsis, Michz.

asper folia, Michx. Woods, especially on mountains. May, June.

Panicum, L. Panic Grass

§ Crus-Golli, L. Cultivated grounds, &c. July-Sept. clandestinum, L. P. pedunculatum, Torrey. Woods. July.

but folium, L. Sandy woods, &c. July.

but folium, L. Sandy woods, &c. July.

dichotomum, L. P. nilidium, Lam. Low grounds July.

depayperstum, Muhl. P. rectum, Roemer and Shulles Sandy soils. Bellows

Falls, Carey. Burlington, Macrae, July. zanthophysum, Gray. Sandy woods, &c. Burlington, Carey. June, July. capillare, L. Sandy fields and cultivated grounds. August, Sept.

Sctaria, P. de Beaurois,

§ viridis, P. de B. Panicum viride, L. Cultivated grounds, &c July, August, § glauca, P de B. Panicum glaucum, L. Cultivated grounds, &c July, Aug. Digitaria, Hiller. § sanguinalis, Scop. Cultivated grounds, &c. August, Sept.

y sangarinaris, 500b. Carleton, Colchester, West Haven, and Ferrisburg, glabra. Sandy fields, &c. Castleton, Colchester, West Haven, and Ferrisburg, Robbins. August, Sept.

Paspalum, L.

citiutifolium, Michx. Dry fields, &c. Bellows Falls, Carey. Aug. Aristida. L.

dichotoma, Michx. Barren fields, &c. Pownal, Robbins. Aug. Calamagrostis, Roth. Arundo, L.

Canadianses, P. de Beauv. Arundo Canadensis, Michx. Calamagrostis Mexicana,
Nutt. Wet meadows, &c. July.
Anthoxanthum, L. Sweet seemed Vernal Grass.

Anthoxanthum, L. Super-scented Vernal Grass.
§ odoratum, L. Meadows and pastures. Middlebury, James. May, June.
Aira, L. Hair Grass.

Aira, L. Haw Grass. flexuosa, L. Dry rocky woods June. cospitosa, L. dira aristulata, Torrey. On the moist rocky banks of rivers. On

Trisetum, Pers.

the Connecticut, at Guildhall, Robbins. July.

Trisetum, Pers.

striutum, Michx. T. purpurascens, Torrey. Anena striala, Michx. Rocky woods.

Castleton, Georgia, and Woodstock, Robbins. May, June.
molle, Trinius. Assna mollis, Michx. On dry limestone rocks, at High Bridge
and Winooski falls, Colchester, Robbins. June.

Illerconton, Genetia.

alpina, Roem. and Sch. On the summit of Mansfield mountain, Tuckerman and

Macrae. July.

Arundo, L. Reod Grass.

Phrogmites, L. In water on the borders of ponds, &c. In lake Memphremagog, Robbins. Aug.

spicata, P. de B. Dry barren woods, pastures, &c. June, July. Festure, L. Fescure Grass.

Festura, L. Fiscue Gross.
§ duriuscula, L. Dry pastures, &c. June.
tenella, Willd. Dry sandy fields, &c. Bellows Falls, Carey. June, July.

§ elatior, L. Grass fields, &c. Middlebury, James. June. § pratensis, Huds. Grass fields, &c. Bellows Falls, Carey. June, July. Glyceria, R. Brown.

fluitons, R. Br. Stagnant water, Burlington, Carey. June. Poa, L. Madow Grass.

§ annuo, L. Cultivated grounds, &c. May—Aug. dentata, Torrey. Ditches and wet places. July, Aug. aquatica, L. Wet meadows, &c. July, Aug. § pratensis, L. Grass fields, roadsides, &c. June, July.

compresso, L. Sandy fields, and in woods, &c. June. seratina, Ehrh. Wet meadows: July.

nemoralis, L Woods. May, June.

nervata, Willd Wet meadows. June, July.

btusa, Muhl. Wet meadows, &c. Bellows Falls, Carey. Aug. Torreyana, Sprengel. P. elongada, Torr. not of Willd Woods. At the base of Manasfield mountain, Robbins. Morgan, near the line of

Charleston, Cares. Burlington, Macrae. July.

Canadensis, Tort. Brise Can., Michx. Wet meadows and swamps. July.

kirsuta, Michx. Sandy and gravelly beach of Connectiout river, at Bellows

Falls, Carey.

alpina, L. Summit of Mansfield mountain, Robbins. July.

replans, Michx. Wet sandy shores of rivers and lakes. On the banks of the Otter Creek, Ferrisburgh, and of the Winooski, Colchester, Robbins. July, Aug.

Tricusois. P. de Beaux.

sesterioides, Torr. Poa quinquefida, Pursh. Sandy soil Middlebury, James. Aug. Dactylis, L. Orchard Grass. § glomerata, L. Grass fields, &c. Bellows Falls, Carey. June.

Bromus, L. Brome Grass.

§ secalisms, L. Chess or Cheat. Cultivated grounds. July. editious, L. Woods, &c. July. purgans, L. Woods, shady banks, &c. Castleton and Brattleboro', Robbins. Secale, L. Rue.

& cereale, L. Old fields and on rocks, &c. June.

Elymus, L. Lyme Grass.

Canodensis, L. and var. gloucifolius. Rocky river banks, &c. July, Aug. strictus, Willd. E. villosus, Torrey, Flora. Dry rocky banks, &c. Middlebury,
James. July, Aug.

Hustrix, L. Rocky woods. Middlebury, James. West Haven, Robbins. Triticum, L. Wheat. § repens, L. Couch Grass. "Witch Grass." Cultivated grounds, &c. June, July.

Spartina, L. Couca Grass. "With Grass." Cultivated grounds, &c. June, Spartina, L. Cord Grass. cynosuroides, Wild. Banks of rivers, &c. Bellows Falls, Carey. Aug. Andropogon, L. Beard Grass.

scoparius, Michx. Dry fields, &c. Pownal, Robbins. Bellows Falls, Carey. Burlington, Macrae. August, Sept.
furcatus. Muhl. Dry rocks and fields. Colchester, Robbins. Bellows Falls, Corey, Aug. Sept.

nutans, L. Dry fields, &c. Fownal and Brattleboro', Robbins. Bellows Falls, Carey. Burlington, Macrae. Aug. Sept.

Leersia, Solander

Virginica, Willd. Wet woods, &c. Aug. oruzoides, Swartz. Ditches, &c. Aug. Sept.

Zizania, L. Wild rice. aquatica, Lambert. In shallow water in rivers and lakes. Burlington and S. Hero, Robbins. Aug.

### CLASS IV. ACROGENS.

ORDER EQUISETACE E. The Horsetail Tribe.

Equisetum, Tourn. Horsetail. limosam, L. Bogs, borders of ponds, &c. June. sylvaticum, L. Moist woods and shady banks. May.

June.

Wet woods and banks. variegotum, Schleich. Interstices of rocks on the shores of the Connecticut river, near low water mark, Bellows Falls, Carey.

scirpoides, Michx. Moist woods and banks. June.

ORDER FILICES. The Fern Tribe.

Polypodium, L.
utlgare, L. Shady rocks, &c.
Dryupteris, L. Woods and swamps.
Pkgopteris, L. Woods and shady banks.
var. consettle. P. connectile, Michx.
var. kenzgenopterum. P. kenzgenopterum, Michx.
Aspidium, Svetts. Stield Pers.

adum, Swartz. Swartz. Rocky woods, &c.
Goldionum, Hooker. Woods. In Orleans county, Carey.
Thelapteris, Swartz. A. noveboracense, Willd. Moist woods.

cristatum, Sw. A. Lancastriense, Sw. Moist woods near Burlington, Macrae. marginale, Sw. Rocky woods.
ddilatotum, Sw. Woods about the "Notch" at the north base of Mansfield moun-

tain. Macrae and Tackerman.

Cistopteris, Bernhardi. fragilis, Bernh. Aspidium tenue, Sw. Moist rocks, &c. bulbifera, Bernh. Aspid. bulb. Willd. Shady rocks, generally on limestone.

Dicksonia, L'Heritier pilosiuscula, Willd. Moist pastures, shady woods, &c.

Woodsia, R. Brown. Ilvensis, R. Br. On rocks. Fairhaven, &c., Robbins. On the summit of Mansfield mountain, Tuckerman and Macrae.

obtusa, Torr. Aspid. obtusum, Swartz. W. Perriniana, Hooker and Greville. Rocks. Bellows Falls, Carey.

Asplenium, L. Splcenwort.

rhizophyllum, L. Shady limestone rocks.
angustifoliam, Michx. Woods. Middlebury, James.

cheneum, Ait. Rocky ledges. Trichomanes, L. Steep rocky ledges.
thelypteroides, Michx. Woods and shady banks. Bellows Falls, Carey. In

Colchester, on the eastern side of High Bridge, Oakes. Ludlow, Washburn. Wall-rue Splcenwort. In the crevices of limestone rocks, Ruta muraria, L. facing the woollen factory at Winooski falls, near Burlington,

Robbins and Murae. At the place of the former bridge, near High Bridge, Colchester, also at Pownal and West Haven,

Filix-famina, Bernh. Aspidium Filix-famina, Sw. Aspidium asplenioides, Sw. A. angustum, Willd. Woods.

Woodwardia, Smith.

Virginica, Sw. Bogs. At Colchester pond, Robbins. Pteris, L. Brake.

aquilina, L. Common Brake. Dry woods, &c.

atropurpurea, L. Crevices of limestone rocks. Near High Bridge and at Winooski falls, and at Pownal and West Haven, Robbins. gracilis, Michx. On rocks overhanging the "Devil's Den," Burlington, Macrae.

Adiantum, Tourn. Maidenhair. pedatum, L. Woods. Struthiopteris, Willd.

Germanica, Willd. S. Pennsylvanica, Willd. Woods, and low grounds. Onoclea, L.

sensibilis, L. Moist woods and banks.

Ophioglossum, L. Adders' Tongue.
vulgatum, L. Bellows Falls, Carey. Burlington, Macrae.

Osmunda, L. Flowering Fern. Claytoniana, L. O. interrupta, Michx. Moist grounds, &c. cinnamomea, L. Moist grounds, &c.

regatis, L. O. spectalitis, Willd. Moist grounds, &c.

Botrychium, Swartz. Moonwort.

tyonnun, Saartt. aucharott.
fimorrioides, Willd. Pastures, &c.
rar. dissectum, Oakes. B. dissectum, Muhl. Rockingham, Carey.
Virginianum, Sw. B. gracele, Michx. Woods.
simplex, Hitchcock. At Sutton, near the village, on the road leading to

Burke, Carey.

ORDER LYCOPODIACE . The Club-Moss Tribe.

Lycopodium, L. Clab Most. Winter-green.
classatum, L. Dry woods.
obstrarm, I. L. decidration, Michx. Ground Pinc. Woods.
annotium, L. Woods, especially near the mountains.
rupestre, L. On dry rocks. Geogra, Robbias. Pair Haven, Chondler Selogo, L. Summits of Mansfield and Camel's Hump mountains, Robbins,

Tuckerman and Macrae. lucidulum, Michx. Woods.

INDE	X T	THE GEN	E	RA IN THE	PR	ECEDING	CAT	ALOGUE.	
Acalypha, Acer, Achillea, Acorus, Actæs, Adiantum, Adlumia, Agrimonia,	10 17 30 6 35 6	Aira, Alisma, Allium, Ainus,	32 33 29 29 25 32	Amaranthus, Ambrosis, Ampelopsis, Amphicarpæa, Andromeda, Andropogon, Anemone, Antennaria,	16 10 11 18 34 5	Anthemis, Anthexanthu Anychia, Apios, Apiectrum, Apocynum, Aquilegia, Aralis,	m33 8 11 27 19 6	Aralia, Arbutus, Archangelica, Archangelica, Arenaria, Arethusa, Aristida, Artemisia,	14 18 14 17 8 27 33 17

					-				
Arum,	29	Cuscuta,	20				35	Secale, Senecio,	34 17
Arundo,	33	Cynoglossum,	20			Oxalis,	9	Setaria,	33
Asa um,	24 19	Cype: s, Cypripedium,	30 28			Panax.	14	Shepherdia,	24
Asclepias,	34	Dacrylis,	33	Kalmia,		Panicum,	32	Sicyos,	13
Aspi tum,	35	Dalibaida,	12		18		24	Sida,	10
Asplenium, Aster,	15	Danthonia,	33		17	Parnassia,	8	S lene,	9
Barbarea,	7	Da ura,	21	Lasierpa,	19	Paspalum,	33	Sinapis,	7
Betula,	25	Decodon.	12	Lathyrus,	11	Pastinaca,	14	Sisymbrium,	7
Bidens,	16	Dentaria,	7	Laurus,	24	Pedic laris,	22	Sisyrinchium,	27
Blephilia,	20	Desmodium,	11	Lechen,	8	Peltandra,	29	S um,	13 29
Blituin.	23 24	Dicksonia,	34		18	Penthorum,	13 22	S miax,	29
Bæhmeria,	24	Dielytra,	6		34	Pentstenion,	11	Solidago.	16
Borrychium,	35	Diervilla,	14		30	Phaca, Phalaris,	32	Sonchus,	17
Brach'elytrus	n 32	Digitaria,	33	Leontice,	17	Phleum,	32	Sparganium,	30
Brasenia,	6	Dipsacus,	15		21	Phryma,	22	Spart na,	34
Bromus,	34	Direa, Draba.	7	Lepidium,	7	Physolis.	21	Spergula,	8
Calamagrosti	29	Draba, Drosera,	8	Lespedeza,	11	Phy olacea.	23	Spiræa.	11
Calla, Callitriche,	26	Dulichium,	30	Lilium,	23	Pinus,	26	piranthes,	28
	28	Echinocystis.	13	Linaria,	21	Piptatherum,	32	Stachys,	21
Calopogon, Caltha,	6	Echinosper'ut			22	Plantago.	23	Staphylea,	10
Calypso,	28	Eleocharis,	30	Linnes.	14	Platanus,	26	Stellaria,	9
Camelina,	7	E odes.	8	Linum,	9	Pos,	33	Streptopus,	29
Campanula,	18	Elymus.	34	Lipaus,	27	Podophyllum,	6	Struthiopteri	
Cannabis,	24	Empetrum,	24	Listera.	28	Pogonia,	28	Symphoricar	
Capselin,	7	Epiphegus,	22	Lithospermum	20	Polanisia,	7	Symplocarpu	e, 30
Cardamine,	7	Epigæa,	18	Lobelia,	18		7	Tanacetum,	17
Carex,	31	Epilobium,	12	Lonicera,	14	Polygonum,	23	Taxus, Teucrium,	26 21
Carpinus,	24		34	Lophanthus,	21	Polypodium,	32	Thalictrum,	6
Carya,	26		16	Lupinus,	11	Polypogon,	28	Thaspium,	13
Cassia,	11	Eriocaulon,	29	Luzula,	29 35	Pontederia,	25	Tiarelta,	13
Castanea,	25	Eriophorum,	31	Lycopodium,	20	Populus, Portulaca,	9	Tilia,	10
Castilleys,	22			Lycopsis,	20	Potamogeton,		Trienspis,	33
Ceanothus,	10 10		15	Lycopus, Lysimachia,	23	Potentilla.	11	Trientalis,	23
Celastrus, Celtis,	26	Enphorbia, Fagus,	25	Malva,	10	Prenanthes,	18	Trifolium,	11
Centagrella.	20	Festuca,	33	Medeola.	28	Prunella,	21	Trillium,	28
Cephalanthu			9	Medicago,	11	Prinos.	19	7 riosteum;	14
Cerasium,	, ,	Fragaria,	12				13	Triphota,	28
Cerasus,	11		19	Mehlorus,	11	Prunus.	11	Trisetuni,	38
Ceratophyllt	ım 6	Galeopsis,	21		21	Pteris.	35	Triticum,	34
Chelidonium	. 4	Gal um,	15	Memspermun	16	Pteros, ora,	19	Tussilago,	15
Chelone.	22		10	Mentha,	20			Typha,	30
Chenopodiui	n, 23	Gentiana,	20	Menyanthes,	20	Pyrola,	19	Udora,	27
Chrysosplen	i. 13	Geranium,	ć		27	Pyrns,	12	Ulmus,	26
Chrysanther	n. 17	Gerardia,	28	Milium,	32		25	Urtica, Utricularia,	25
Ci uta,	13		33	Minnlus,	22 18	Ranunculus,	5	Uvularia,	29
Cimicifuga,				Mitchella,	13		10	Vaccinium,	15
Cinua,	3:		17		18				îŝ
Circaea,	1		25		20	Rhus,	10	Va isneria,	27
Cirsiam,	3		13	Monotropa,	19			Veratrum,	28
Cistopteris, Claytonia,	- 0	Hedeoma,	21		2		13		2
Clematis,							12	Verhenn,	25
Cochlearia,	-		16	Naias,	36	Rubus,	12		1.
Collinsonia,	2		- 1		18		16		2
Comandra,	2	4 Heracleum,	1.	Nasturtuum,	- 7	Rumex,	23	Viburnum,	1.
Courarum,	1	2 Hieracipm,	1		, 15	Sagittaria,	29		1
Comptonia,	2		3		2		25		
Conjoselinu	m, 1	4 Houstonia,	1		- 6		14		1
Conium,	1	4 Humulus,	2		- 1		23		3
Convallaria			, 1		2		6		
Convolvulu	8, 2	9 Hydrophylli	ıım2	Enothera,	1:		13		, s
Coptis, ^		6 Hyosevamu	s 2	1 Onopordon,	1		12		
Corallorhize	, 2			8 Onacles,	3.				
Cornus.	1	4 Hypopithys	, 1		n, 3	5 Schollera,	, st	Zizenia,	3
Corydalis,		7 Impatiens,			2		30	Zizia,	1
Corvius,	2	5 Inula, 2 Iris.	1 2	6 Orobanche, 7 Oryzopsis,	3				
Crataegus,		3 Isolepis,	2	1 Osmorhiza,		4 Scutellaria,	21	Total,	39
Cryptotæni									

<sup>\*\*</sup> Having been obliged, contrary to expectation, to work off the preceding Catalogue without awaiting the return of the proof sheets from the author, some typographical errors, &c., have occurred, for the correction of which see the Errata at the oad of the volume

### ERRATA.

THE foregoing Catalogue having been printed without proof-sheets from the author, many typographical errors have occurred. Several additions of species and localities were made to the manuscript, by Mr. Macrae, at Burlington, which also have required revision. The following list, probably, contains all the errors of much importance.

Page 2. Erase Equisetum variogatum and Golden Corydalis. 3. For Eragrostis read Erogrostis; for Polanisia read Polenisia.

5. Line 27th from bottom, for page 18, read page 182. Line 15th, for Mallet's read Eagle.

7, For Dentaria luiniata read D. laciniata. Por laevigata read luvigata.

9. For Spring, read Spreagel. For Cerastium vulgatum read C. viscosum. for Xanthoxylum travingum read X, fraxingum. Erase the sentence in parenthesis 3d and 4th line from top, and Geranium dissectum, &c.

11. Line 21, for Robinsii read Robbinsii. Line 31, for espedeza read Lespedeza. 13. Line 2, for Circaea read Circaea. Erase Ribes floridom.

14. Line 4th, erase Burlington, Macrae.

25. Line 25, erase L. after Nardosmis, Casa; also A pubescent var. &c.

- Line 38, for Cardus read Carduss. Line 5th from bottom, for E. H. read E. F. Line 4th from bottom for echesia read actions.
- 19. Line 12 from bottom, for andressemifolium read andressemifolium. Erase last line, Asclepias debilis, &c.
- 20. Line 16 from bottom, for Mentha Piperito read M. piperits.
- Orobanche Americana, crase Starpehin Point, Burliegton, Macrae. Justicia Americana, insert 'in' before Dr.,—'a' is place of 'the' before specimen,—and 'was' before
- 23, 125, For Order Phytolaces read Phytolacescess. 27. Line 10 from bottom, for lorenna read Corresna. 33. Erase Michx. ofter Triestum striatum.
- The following species should have the character \$, denoting that they have been introduced and 36. Insert 'Thoya 26' after 'Thaspium.'

naturalized, inserted before them. Page 7. Barbares vulgaris,

9, Agrostemma Gitbago ; Portulaca oleaco 10. Sida Abutilon ; Vicia sativa ; Vicia Crucca.

11. Melilotus officinalis.

- 16. Inula Helenium ; Xanthium strum
- 17. Anthemis Cotula; Chrysanthemum Leucanthemum ; Arctium Lappa; Leontodon Taraxacum; Sonchus oleraceus . Amaranthus Blitem.

Some criots have also occurred in the use of capitals, in punctuation, and in writing the diphthong e, which are not here particularized.

Note to the list of Forest Trees on page 2 .- There are several other species of forest trees mentioned in the books as natives of New England; Pinus Banksiana. in the extreme north of Maine, Quercus palustris, Quercus ambiguia, &c.

Nove to Geranium dissectum, on page 9 .- European specimens have the lobes of the upper leaves a little less divided, and the seeds perhaps more strongly reticulated than our species. It is quite possible that Geranium Carolinianum is an Ameriican variety, G. dissectum. Geranium Carolinianum has the seeds distinctly reticulated, but by no means so strongly so as in our Vermont G. dissectum and the European plant.